



Comercial: Dentia S.A.C.

CODESA



• COPIADORAS
• IMPRESORAS LA SER

N° INCIDENCIA

T.R.

Tipo de atención:

Garantía de fábrica

FECHA DEL SERVICIO

27/09/2024
DD/MM/AA

CLIENTE:

Organismo de Formalización de la Propiedad Informal

DIRECCION:

Jr. Cuzco N° 447 - Barrio Huayco - TOTORO

REFERENCIA:

CONTACTO:

MODELO:

Taskalfa 7003i

SERIE:

R091100747

MOTIVO:

Atasco

CONTOMETRO: 97656.

TECNICO ASIGNADO:

Yonax Yocimar Cruz Sanchez.

HORA DE INICIO:

3:30 pm

HORA DE FIN:

SE REALIZO:

1. Se realizaron las pruebas y se verifico que componente estaba causando el atasco de papel, se observo que los 3 rodillos de la bandeja 1 presenta desgaste.

2. Se realizo el descarte con rodillos nuevos de la bandeja 4, el atasco desaparecio. Medicion de voltaje e 219V. el equipo esta funcionando correctamente.

OBSERVACIONES:

* Se informo al cliente del estado de los rodillos de la bandeja 1 y de los rodillos de la bandeja 4. estan nuevos.
* el cliente indico que los rodillos nuevos se queden en la bandeja 1 asta que llegue los rodillos nuevos, ya que necesitan imprimir urgente.

RECOMENDACIONES:

COTIZAR:

Codigo Part List	Nombre del Repuesto	Cantidad	Codigo SAP

GARANTIA:

Codigo Part List	Nombre del Repuesto	Cantidad	Codigo SAP

POZO A TIERRA

TONER ORIGINAL

ESTAB/UPS

Yonax
Escribo

Fajardo
Cliente

Maintenance Report



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747
27/09/2024 21:04
[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

```

000 Output Maintenance Report
001 Exit Maintenance Mode
002 Set Factory Default
003 Set Telephone Number for Service Call *****
004 Machine Number RU91100747
010 Set Maintenance Mode ID
018 Check Firmware Checksum
019 Firmware Version
    Controller 2XT_S000.002.151
    CMN App 2XT_R000.002.151
    SST App 2XT_R100.002.151
    MNT App 2XT_R200.002.151
    CPY App 2XT_R300.002.151
    PRT App 2XT_R400.002.151
    SND App 2XT_R500.002.151
    BOX App 2XT_R600.002.151
    FAX App 2XT_R700.002.151
    WPG App 2XT_R800.002.151
    AUTH App 2XT_R900.002.151
    PCS App 2XT_RB00.002.151
    SCO App 2XT_RD00.002.151
    PLP 2XT_Q000.002.151
    EXSP 2XT_QA00.002.151
    Version Info 2XT_S100.002.151
    RFID 2KV_D100.003.001
    OCR 2V8_L000.001.001
    Sub MMI, Sub MMI Boot, Sub MMI Conf 2V8_7200.001.005 2V8_7300.001.001 2V8_7400.001.018
    Engine, Engine Boot 2XV_1000.002.101 2NH_1100.001.002
    Scanner, Scanner Boot 2NH_1200.005.001 2RH_1300.001.002
    HyPAS-Embedded API 2.1.11
    Option Language 2V8_81XM.002.101
    DP, DP Boot 3R8_9500.006.001 3R8_9510.001.003
    DP SSW 3M4_9520.001.009
    PF1, PF1 Boot 2NH_9000.003.001 2NH_9010.001.011
    FMU Connection J00_E00C.010.009

021 Initialize Memory
023 Reset Settings
024 Format HDD
025 Firmware Update(Security)
026 Pulling Backup Data
030 Check Motor Operation
031 Check Conveying Switch
032 Check Clutch Operation
033 Check Solenoid Operation
034 Adjust Paper Timing Data
    Start Position 0.0 0.5 0.0 0.3 0.0 0.0
    Center Line 0.0 0.0 0.0 -0.3 -1.0
    0.0

035 Adjust Folio Size 330 210
037 Check Fan Motor Operation
051 Adjust Paper Loop Amount
    Paper Loop Amount -4 -2 -3 -2 -4 -2
    -4 -2 -3 -2 -4 -2
    
```

Maintenance Report



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

052	Set Fuser Motor Speed						
	Set Loop Sensor	196	165				
	Set Loop Sensor Valid	On					
053	Adjust Motor Speed						
	Motor1				0		
	Motor2	0			27		0
		20	50				
	Motor3	50	-121	81	52	52	18
		42	63	-7	-8	0	0
		0	0				
	Motor1 Half				0		
	Motor2 Half	0			55		0
		40	98				
	Motor3 Half	98	-242	162	105	105	37
		83	128	-12	-14		
		0	1000				
059	Set Fan Mode						
061	Check Lamp ON						
063	Adjust Shading Position	0					
065	Adjust Scanner Motor Speed	0	-2				
066	Adjust Table Leading Edge Timing	8					
067	Adjust Table Center	12					
068	Adjust DP Scan Position	0	0				
070	Adjust DP Motor Speed	-21		-13			
071	Adjust DP Leading Edge Timing	-4	-8			1	-1
072	Adjust DP Original Center	14		-9			
073	Check Scanner Motor Operation						
074	Adjust DP Input	0					
	DP Color Regist	On					
087	Set DP Scanning Position Operation	48	48				
089	Output MIP-PG Pattern						
091	Set White Line Correction	0	0	0			
		112	112	112	75		
		1					
099	Set Original Size Detection						
	Data1	0	0	0			
	B/W Level1	50	50	50			
	Data2	0	0	0			
100	Adjust Main High Voltage Output						
	Adj AC Bias				99		
	Set AC Auto Adj	On					
	Set DC Bias				151	0	
	Half				150		
	Adj DC Bias				0	0	
	Half				0		
	Set Low Temp	1					
	Set Charger Freq	2900	2320				
	Set AC Gain	Auto					
101	Adjust 1st Transfer Voltage Output						
	Add Color						
	Normal	0					
	Heavy4/5	0					
	Add Color 2nd						
	Normal	0					
	Heavy4/5	0					
	Surround Correct	Off					

Maintenance Report

MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27



RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

106	Adjust 2nd Transfer Roller Output				
	Light/Normal1	143	140	133	
		135	126	114	
	Normal2/3	143	140	133	
		135	126	114	
	Heavy1-3	109	109	106	
		105	103	91	
	Heavy4/5	106	106	96	
		101	101	91	
	OHP	94	94	87	
	Bias	160	160		
		100	89		
	Protect Mode	Off			
110	Drum Unit Counter				99212
111	Drum Driving Time				3704
117	Drum Unit Number				
	K	EP20111A8952			
118	Drum Unit History				
	K	RU91100747		0	
		XXXXXXXXXX		0	
		RRH0X02395		0	
119	Set Up Drum Unit				
127	Clear Transfer Roller Counter			99212	3747
128	Adjust Transfer Timing	10	82	-18	
130	Set Toner Install				
131	Adjust Toner Sensor Control Voltage				
	Manual				125
	Auto				131
					103
	Mode	Auto			
132	Supply Toner Forcefully				
135	Check Toner Motor Operation				
136	Set Toner Near End Detection		3		
139	Temperature/Humidity				
	Ext/Int	26	59		
	LSU	34			
	Developing				33
140	Adjust Developing Bias				
	Sleeve DC				82
	Sleeve AC				185
	Mag DC				161
	Mag AC				201
	Sleeve Freq	4640		4640	0
	Sleeve Duty	37			
	Mag Duty	68			
	AC Calib				
	Magnification				-12
	Image Preference	0			
	Lead Density	Off			
148	Set Drum Refresh Mode	2	0		
155	Toner Sensor Output Value				
156	Adjust Toner Control Level				
	Supply				512
	Empty				100
157	Developing Unit Drive Time				1342

Maintenance Report

MFP

TASKalfa 7003i

Firmware Version XJT_S000.002.151 2020.08.27



RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

158	Developing Unit Counter				99212		
161	Adjust Fuser Control Temperature						
	Warm Up	135	100	40	150	150	100
		50	145				
	Print	150	0				
	Low Power Mode	Mode0					
	Belt Mode	Off					
	Ready Time Adjust	2					
164	Fuser Unit History	RU91100747	0				
		VAL6900003	0				
		RU91400813	0				
165	Fuser Unit Number	F130414A5064					
167	Clear Fuser Counter	73589	24944	982	99716		
169	Set Fuser Power Source						
	Set Fuser	2					
193	Set Fuser Drive Control						
	Bias	35			35		
199	Fuser Temperature	0	0	0	0		
200	Turn ON All Panel LEDs						
201	Initialize Touch Panel						
203	Check DP Operation						
	Result	76	95	72	242	-	-
		-	-	-			
204	Set Key-Card/Key-Counter	Off					
206	Set Coin Vendor Mode						
	On/Off Config	Off					
	No Coin Action	Off					
	Price						
	Normal						
	B/W	10	10	10	10		
	AD						
	B/W	100	50	30	50		
	Print						
	B/W	10	10	10	10		
	Boot Mode	Normal					
	Ap1 Charge Mode	Off					
207	Check Panel Key Operation						
221	Set USB Host Lock Function	Off					
223	Set Panel Operation Lock	Unlock					
224	Install Original Panel Display						
243	Check DP Motors						
244	Check DP Switches						
247	Check Paper Feeder						
250	Set Maintenance Counter Pre-set	600000		0	300000	300000	300000
		300000				150000	300000
251	Clear Maintenance Counter	97656		97656	85477	2665	0
		0				10	48421
	CBM Alert(Print)	0	0				
252	Set Destination	Europe	Metric				
253	Set Double/Single Count						
	B/W	DBL(A3/Ledger)					
260	Set Copy Count Mode	Eject					
265	Set Model Destination	1					
271	Set Page Count Unit	2	3				
278	Set Delivery Date	---	---	---			

Maintenance Report



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

285	Set Service Status Page	On	Off				
286	Set Option Language						
	Option Language 1	PORTUGUESE(POR)					
	Option Language 2	None					
	Option Language 3	None					
	Option Language 4	None					
	Option Language 5	None					
287	Set Auto Reset Function	Off	Off	Off	Off	Off	Off
		Off	Off	Off	Off	On	
323	Set Abnormal Heat and Humidity Warning	On					
325	Set Paper Interval (Add Toner)	Off	1				
326	Set Black Line Clean Display						
	Black Line Mode	On					
327	Set Cassette Heater Control	Off					
332	Adjust Coverage Size Calculation Rate	1.0					
340	Set Applied Mode						
	Adj Memory	0					
	Adj Max Job(Prn)	10	50				
	Adj Max Job(Send)	10	200				
341	Set Printer Exclusive Cassette	Off	Off	Off	Off		
342	Set Paper Eject Limit						
	Count Limit	On					
343	Set Duplex Priority Mode	Off					
345	Set Maintenance Time Soon Display	0					
346	Selecting Sleep Mode						
	Timer/Sleep Level	More Energy Save					
	Auto Sleep	On					
402	Adjust Print Margin	4.8	2.0	3.3	2.0		
403	Adjust Scanning Margin(Table)	2.0	2.0	2.0	2.0		
404	Adjust Scanning Margin(DP)	1.5	5.0	1.5	1.5		
		1.5	4.5	2.5	1.5		
407	Adjust Writing Timing (Reverse)	-37					
410	Half Tone Auto Adjustment						
411	Scanner Auto Adjustment						
412	Adjust Uneven Density	On					
415	Print Position Auto Adjust						
425	Set Target Adjustment Value						
	Chart A						
	White	93.6	0.9	-0.4			
	Black	10.6	-0.2	-0.7			
	Gray1	76.2	-0.2	1.2			
	Gray2	25.2	-0.2	-0.2			
	Gray3	51.3	-0.3	0.3			
	C	72.6	-32.8	-11.5			
	M	48.1	69.9	-6.1			
	Y	86.2	-18.6	81.7			
	R	46.7	54.2	38.6			
	G	67.8	-51.3	48.9			
	B	38.8	25.3	-22.8			
	Adjust Original	5.0	10.0	190.0			
	Chart B						
	Adjust Original	15.0	15.0	390.0			
460	Adjust Conveying Sensor						
	DP	On					

Maintenance Report



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

464	Set ID Adjustment Mode							
	Permission	On						
	Time Interval	1800						
	Mode	Normal						
	On/Sleep Out	On						
	AP/NE	On						
	Leaving Time	480						
	Driving Time	300						
	Timing	0						
	Target Value	115						
		320						
465	ID Adjustment Data							
	TCONT					-24		
						0		
	Laser Power					103		
	Laser Power(En)					99		
	Laser Power(Drum)					20		
	Laser Power(Max)					103		
	Bias Calib					0		
	T7 CTD					761		
	Stress			5686				
470	Adjust JPEG Compression Rate							
	Copy							
	Photo	10	10					
	Text	10	10					
	Send							
	Photo	30	40	51	70	90		
		30	40	51	70	90		
	Text	30	40	51	70	90		
		30	40	51	70	90		
	HC-PDF(BG)	15	25	90				
		15	25	90				
	HC-PDF(Char)	15	75	90				
		15	75	90				
	HC-PDF(File Size)	15	25	75				
		15	25	75				
	System	90	90					
	Print	7	7					
485	Set Image Process Mode	0						
520	Set Remote Service							
	On/Off Config	Off						
671	Clear FAX Back Up Data							
901	Clear Paper Feeder Counter	10	85477	2665	0	0		
				8059				
905	Option Counter							
	DP	32015		16497				
906	Reset Disable Function Mode							
908	Total Counter	97656						
910	Clear Coverage Data							
911	Paper Size Counter							
	A3, B4, A4, B5, A5, Folio	5390	0	89267	0	1983	0	
	ETC	1016						
917	Read/Write Backup HDD Data(USB)							

Maintenance Report



MFP

TASKalfa 7003i

Firmware Version XLT_S000.002.151 2020.08.27

RU91100747
27/09/2024 21:04
[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

```
920 Charge Counter
    Main Function
        B/W Copy 18765
        B/W Prn 78891
        B/W Fax 0
    Sub Function
        Simplex 82952
        Duplex 14704
        Combine(Off) 97646
        Combine(2in1) 10
        Combine(4in1) 0
927 Clear All Charge/Life Counter (one time only)
928 Machine Life Counter 99263
930 Clear Charger Roller Counter 99212
933 Set Maintenance Mode Execute Log
935 Maintenance Relay Board 0
942 Adjust DP Original Loop Amount 0 0
952 Maintenance Mode Work Flow
977 Set Data Capture Mode
981 Set/Check CBM Alert Data
    CBM Alert
        Engine Off Off
    Cassette Feed Timing
        Condition Setting 0
    Image Quality
        Background Of Printing 800
        Thin Concentration 228
        Retry Setting 1 On
        Calibration
            Dot Cnt 2365996
            Developing Time 1340
    Scan Image
        Cnt 314 10120 7496 167 38931
        Setting 15
984 Developing Unit Number
    K EP30311A9122
985 Developing Unit History
    K RU91100747 0
        XXXXXXXXXX 0
            0
989 HDD Scandisk
990 Clear Scanner Lamp On Time 243
991 Scanner Counter 10203 0 64808
        FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
        FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
        FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
        FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
        FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
```


Maintenance Report

MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27



RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

0000000000000646400B01	0000000000000000003201
0000000000008876464001209	000000000000000000000009
00000000000030A6646400120C	00000000000000000000000C
000000000000416464000A2	0000000000000000000000A2
000000000000064640012A8	0000000000000000000000A8
000000000000045E5E0003AA	0000000000000000000000AA
0000000003000264640012AD	0000000000000000000000AD
0000000000007D64640012C0	0000000000000000000000C0
0000210021002143430023C2	0000000000000000000000C2
000000000000043430023C4	0000000000000000000000C4
00000000000006464000BDA	00000000000000000000032DA
0000000000006364640013E7	0000000000000000000000E7
00000000003EEE6464000E9	0000000000000000000000E9
00000000002B8A64640012F1	0000000000000000000000F1
0000000000A0464640000F6	0000000000000000000000F6
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
000000000000000000000000	000000000000000000000000
0000000000000646400B01	000000000000000000003201
00000000000006464000502	000000000000000000003202
0000000000005586464002703	000000000000000000000103
000000000000313E6464003204	000000000000000000000004
000000000000006464003305	0000000000000000000003205
00000000000006464000B07	0000000000000000000003207
00000000000006464000508	0000000000000000000003208
0000000000008E25F5F003209	000000000000000000000009
000000000000064FD00330A	0000000000000000000001E0A
0000000000003091646400320C	00000000000000000000000C
000000000000064640032BF	0000000000000000000000BF
0000000000002364640032C0	0000000000000000000000C0
000000000092C761610032C1	0000000000000000000000C1
0000340014002764640022C2	0000000000000000000000C2
000000000000064640032C4	0000000000000000000000C4
000000000000064640032C5	0000000000000000000000C5
000000000000064640030C6	0000000000000000000000C6
0000000000000C8C80032C7	0000000000000000000000C7
000000000000064640002DC	0000000000000000000000DC
0000000000017464640032DE	0000000000000000000000DE
000000000000064640032DF	0000000000000000000000DF
000000000000064640022E0	0000000000000000000000E0
000000000000B164640026E2	0000000000000000000000E2
000000000000064640001F0	0000000000000000000000F0
000000000000000000000000	000000000000000000000000

Maintenance Report



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747
27/09/2024 21:04
[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99263

```
00000000000000000000000000000000 00000000000000000000000000000000
00000000000000000000000000000000 00000000000000000000000000000000
00000000000000000000000000000000 00000000000000000000000000000000
00000000000000000000000000000000 00000000000000000000000000000000
00000000000000000000000000000000 00000000000000000000000000000000
```

SATA SSD

2 3

16110

HDD attached

Paper Jam Log

```
JAM0000 2 2
JAM0501 200 200
JAM0502 1 1
JAM0511 4 4
JAM1301 1 1
JAM1502 10 10
JAM4101 4 4
JAM4102 1 1
JAM4109 1 1
JAM4201 1 1
JAM4211 2 2
JAM4218 1 1
JAM4601 2 2
JAM5011 1 1
JAM5018 1 1
JAM9000 6 6
JAM9002 3 3
JAM9008 3 3
JAM9010 4 4
JAM9011 3 3
JAM9020 38 38
JAM9030 34 34
JAM9300 5 5
JAM9310 3 3
JAM9400 4 4
JAM9600 15 15
```

Service Call Log

```
C3100 1 1
C7460 1 1
C6610 28 28
C6000 1 1
Cf248 1 1
```

Página de estado

MFP

TASKalfa 7003i



RU91100747

27/09/2024 21:04

[2.1.11]

Versión del firmware 2XT_S000.002.151 2020.08.27

[2XV_1000.002.101] [2NH_1100.001.002]

Config. papel

Tamaño/Tipo bandeja MP: A4-R/Normal
Tamaño/Tipo depósito 1: A4/Normal
Tamaño/Tipo depósito 2: A4-R/Normal
Tamaño/Tipo depósito 3: B5/Normal
Tamaño/Tipo depósito 4: B5/Normal

Estado de opciones

Depósito lateral: No instalar
Finalizador: No instalar
Buzón de documentos: No instalar
SD Card: No instalar
Card Authentication (B): No instalar
Internet FAX Kit(A): No instalar
UG-33: No instalar
UG-34: No instalar
Teclado num. opcional: No instalar

Seguridad

Encrip. de datos/Sobrees: Desactivar
Trusted Platform Module: Desactivar
Versión de especificación: 2.0
Fabricante: IFX
Revisión fabricante: 1.16
Inicio seguro: Activar
Compr. integr. tmp ejec.: Activar


Memoria

Tamaño total: 4.5 GB

Borrado de datos

Resultado:--

Indicador de tóner



Contadores

Copia	18765			
Impresora	78891			
FAX	0			
Total	97656			
Tamaño papel				
A3	5390			
B4	0			
A4	89267			
B5	0			
A5	1983			
Folio	0			
Ledger	70			
Legal	0			
Letter	946			
Statement	0			
Banner 1	0			
Banner 2	0			
Otro1	0			
Otro2	0			
Páginas escaneadas				
Copia	10203			
FAX	0			
Otro	64808			
Total	75011			
Dúplex	Simplex	2 en 1	4 en 1	1 en 1
14704	82952	10	0	97646

Página de estado

MFP

TASKalfa 7003i



RU91100747

27/09/2024 21:04

[2.1.11]

Versión del firmware 2XT_S000.002.151 2020.08.27

[2XV_1000.002.101] [2NH_1100.001.002]

Config. de dispositivo

Reglas de reposo:
Aplicación: Activar
Sueño: 20 Minutos
Temporiz. apagado: 3 días
Tiempo espera alim. pap.: 30 Segundos
Bypass vacío: Activar

Bloqueo de interfaz

Host USB: Desbloquear
Dispositivo USB: Desbloquear
memoria USB: Desbloquear
Opción I/F 1: Desbloquear
Opción I/F 2: Desbloquear

Configuración de grupo

Ninguna

Configuración TRABAJOS

Nombre trabajo: doc

Configuración de impresión

Copias: 1
Tipo de papel predeterm.: Ninguna
Modo KIR: Activar
Resolución: 600 dpi

Emulación

Emulación: PCL6
Fuente predeterminada: Courier
Caracteres predet.: IBM PC-8

EcoPrint

Estado: Desactivar

Configuración de escaneo

Formato archivo: PDF
Resolución: 300x300dpi
Calidad: Texto+foto

Configuración de copia

Calidad: Texto+foto (Revista)
Intercalar: Activar

Red

Interfaz LAN
Configuración: Automático
Actual: 100BASE-TX Full

TCP/IP
Estado: Activar
Nombre host impresora: KMAFFA85

IPv4

Estado DHCPv4: Desactivar
Estado Bonjour: Activar
Dirección IP: 192.168.1.71
Máscara subred: 255.255.255.0
Gateway predet.: 192.168.1.1

IPv6

Estado: Activar
Estado DHCPv6: Activar
Estado RA: Activar
Manual: No definido
DHCPv6(Stateful): No definido
RA(Stateless):

2001:1388:7829:a7c0:217:c8ff:feaf:fa85/64

::/0

::/0

::/0

::/0

LinkLocal:

fe80::217:c8ff:feaf:fa85/64

Wi-Fi

Dirección MAC: 00:17:C8:B3:1C:56

Wi-Fi: Activar

Estado de conexión: No Conectado

Nomb. red(SSID):

Autenticación de red: Abrir

Canal: 0

Intensidad señal: 0

IPv4

Dirección IP: No definido

Máscara subred: No definido

IPv6

Estado DHCPv6: Activar

Dirección IP: No definido

Wi-Fi Direct

Wi-Fi Direct: Desactivar

Service Status Page



MFP

TASKalfa 7003i

RU91100747

27/09/2024 21:04

[2.1.11]

Firmware Version 2XT_S000.002.151 2020.08.27

[2XV_1000.002.101] [2NH_1100.001.002]

Controller Information

Memory Status

Total Size 4.5 GB

Time

Local Time Zone

UTC Greenwich Mean Time : Dublin, Edinburgh, Lisbon, London

Date and Time 27/09/2024 21:04

Time Server

Installed Options

Side Feeder Not Installed

SD Card Not Installed

Finisher Not Installed

Mail Box Not Installed

Card Authentication Kit (B)

Not Installed

Internet FAX Kit(A) Not Installed

UG-33 Not Installed

UG-34 Not Installed

USB Keyboard Not Connected

USB Keyboard Type US-English

Print Coverage

Average (%) / Usage Page(A4/Letter Conversion)

Total K: 5.92 / 96664.50

Copy K: 6.68 / 18765.00

Printer K: 5.73 / 77899.50

FAX K: 0.00 / 0.00

Period (01/02/2021 - 27/09/2024 21:04)

Last Page (%) 2.54

Last Job (%) 2.82

FRPO Status

User Top Margin A1+A2/100 0.00

User Left Margin A3+A4/100 0.00

User Page Length A5+A6/100 17.30

User Page Width A7+A8/100 17.30

Reserved B0 00

Default Pattern Switch B8 00

Page Orientation C1 00

Default Font Number C5*10000+C2*100+C3 00000

PCL Font Switch C8 00

Reserved D6 03

Host Buffer Size H8 05

FF Time Out H9 06

Reserved I5 01

Reserved I6 00

Zoom J0 00

KIR Mode N0 02

Duplex mode N4 00

Sleep Timer N5 20

EcoPrint Mode N6 00

Reserved N7 00

Print Resolution N8 01

Default Emulation P1 06

CR/LF Action P2/P3 1/1

AES Mode P4 00

Alt. Emulation P5 06

AES Option 1/2 P7 10

Command Recognition P9 82

Default Paper Output R0 01

Default Paper Size R2 00

Reserved R3 00

Default Paper Source	R4	01
Sorter full switch	S3	00
Override A4/LT	S4	01
Host Buffer Size Rate	S5	01
Wide A4	T6	00
Default Line Spacing	U0+U1/100	6.00
Default Character Spacing	U2+U3/100	10.00
Reserved	U4	01
Country Code/Symbol Set	U6/U7	41/53
Default Pitch	U8+U9/100	10.00
Default Font Height	V0*100+V1+V2/100	12.00
Default Font Name	V3	Courier
Courier/LetterGothic	V9	05
MP Tray Paper Type	X0	01
Cassette 1 Paper Type	X1	01
Cassette 2 Paper Type	X2	01
Cassette 3 Paper Type	X3	01
Cassette 4 Paper Type	X4	01
Cassette 5 Paper Type	X5	01
Cassette 6 Paper Type	X6	01
Cassette 7 Paper Type	X10	01
PCL Paper Source	X9	00
Auto Error Clear	Y0	00
Error Clear Timer	Y1	06
Finishing error	Y3	255
Special Type Act Mode	Y4	00
PDF mode	Y5	00
e-MPS error control	Y6	03

Service Status Page



MFP

TASKalfa 7003i

RU91100747

27/09/2024 21:04

[2.1.11]

Firmware Version 2XT_S000.002.151 2020.08.27

[2XV_1000.002.101] [2NH_1100.001.002]

Controller Information

RP Code

0002_00B8_A6EA

0002_00B8_A71C

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

FFFF_FFFF_FFFF

Engine Information

NVRAM Version

_CoF8514_CoF8514

Scanner Version

2NH_1200_005.001

MAC Address

00:17:C8:AF:FA:85

DP Counters

Total

48512

MP Tray Priority Off

Storage Status

Hard Disk 320GB

SSD 8GB

System Firmware(Details)

2XT_Q000.002.151

2XT_QA00.002.151

2XT_R000.002.151

2XT_R100.002.151

2XT_R200.002.151

2XT_R300.002.151

2XT_R400.002.151

2XT_R500.002.151

2XT_R600.002.151

2XT_R700.002.151

2XT_R800.002.151

2XT_R900.002.151

2XT_RB00.002.151

2XT_RD00.002.151

2XT_S100.002.151

Network Status Page



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747
27/09/2024 21:04
[2XV_1000.002.101] [2NH_1100.001.002]

Network Detail

MAC Address: 00:17:C8:AF:FA:85

LAN Interface

Setting: Auto
Current: 100BASE-TX Full

SSL/TLS Server

Status: Enabled
HTTPS: Enabled

IPSec

Setting: Off
Restriction: Allow
Status: Inactive
Rule 1: Off
Rule 2: Off
Rule 3: Off
Rule 4: Off
Rule 5: Off
Rule 6: Off
Rule 7: Off
Rule 8: Off
Rule 9: Off
Rule 10: Off

IEEE 802.1X

Status: Disabled
Type: PEAP

Certificate Status

Device 1(Self Issued): Active
Device 2: Inactive
Device 3: Inactive
Device 4: Inactive
Device 5: Inactive
Root 1: Inactive
Root 2: Inactive
Root 3: Inactive
Root 4: Inactive
Root 5: Inactive

Enhanced WSD

Status: Enabled

Enhanced WSD over SSL

Status: Enabled

TCP/IP

Status: Enabled
Printer Host Name: KMAFFA85
Bonjour Status: Enabled
Bonjour Name: Kyocera TASKalfa 7003i
Dynamic DNS: Disabled
IPv4(Common):
Default Gateway: 192.168.1.1
IPv4(Wired Network):
DHCPv4 Status: Disabled
Auto IP: Enabled
IP Address: 192.168.1.71
Subnet Mask: 255.255.255.0

DNS User Setting: Disabled
DNS Server(Pri.): Not Defined
DNS Server(Sec.): Not Defined
DNS Search Suffix: Disabled
DNS Search Suffix(Pri.): Not Defined
DNS Search Suffix(Sec.): Not Defined
Domain Name:
WINS User Setting: Disabled
WINS Server(Pri.): Not Defined
WINS Server(Sec.): Not Defined

IPv4(Wireless Network):

DHCPv4 Status: Enabled
Auto IP: Enabled
IP Address:
Subnet Mask:
DNS User Setting: Disabled
DNS Server(Pri.): Not Defined
DNS Server(Sec.): Not Defined
DNS Search Suffix: Disabled
DNS Search Suffix(Pri.): Not Defined
DNS Search Suffix(Sec.): Not Defined
Domain Name:
WINS User Setting: Disabled
WINS Server(Pri.): Not Defined
WINS Server(Sec.): Not Defined

Network Status Page



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

TCP/IP

IPv6(Common):

Default Gateway:
fe80::ced4:a1ff:fec3:1f50

IPv6(Wired Network):

Status: Enabled
DHCPv6 Status: Enabled
RA Status: Enabled
Manual: Not Defined
DHCPv6(Stateful): Not Defined
RA(Stateless):
2001:1388:7829:a7c0:217:c8ff:feaf:fa85/64

LinkLocal:

fe80::217:c8ff:feaf:fa85/64

DNS User Setting: Disabled
DNS Server(Pri.): Not Defined
DNS Server(Sec.): Not Defined
DNS Search Suffix: Disabled
DNS Search Suffix(Pri.): Not Defined
DNS Search Suffix(Sec.): Not Defined
Domain Name:

IPv6(Wireless Network):

Status: Enabled
DHCPv6 Status: Enabled
RA Status: Enabled
Manual: Not Defined
DHCPv6(Stateful): Not Defined
RA(Stateless): Not Defined
LinkLocal: Not Defined
DNS User Setting: Disabled
DNS Server(Pri.): Not Defined
DNS Server(Sec.): Not Defined
DNS Search Suffix: Disabled
DNS Search Suffix(Pri.): Not Defined
DNS Search Suffix(Sec.): Not Defined
Domain Name:

NetBEUI

Status: Enabled

Raw Port

Status: Enabled

IPP

Status: Enabled

IPP over SSL

Status: Enabled

FTP Server

Status: Enabled

Line Printer Daemon

Status: Enabled

Network Status Page



MFP

TASKalfa 7003i

Firmware Version XXT_S000.002.151 2020.08.27

RU91100747
27/09/2024 21:04
[2XV_1000.002.101] [2NH_1100.001.002]

HTTP
Status: Enabled
HTTPS
Status: Enabled
WSD-PRINT
Status: Enabled
WSD-SCAN
Status: Enabled
LLTD
Status: Disabled
SNMP v1,v2
Status: Enabled
JetAdmin Compatibility: Disabled

SNMP v3
Status: Disabled
Authentication: Enabled
Privacy: Enabled

POP3
Status: Disabled
Check Interval: 15 Minutes

User 1:
User Profile1: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
POP3 Login Password: Not Defined
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB

User 2:
User Profile2: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
POP3 Login Password: Not Defined
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB

User 3:
User Profile3: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
POP3 Login Password: Not Defined
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB

Network Status Page



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

SMTP

Status: Disabled
SMTP Server Name:
SMTP Port Number: 25
Authentication: Off
Login Account Name:
SMTP Security: Disabled
Sender Address:
Signature:

%printer
[%etheraddr]

E-mail Recipient 1:

Subject: %printer event mail
Recipient 1 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Almost Full Waste Toner: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None

Network Status Page

MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27



RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

SMTP

E-mail Recipient 2:
Subject: %printer event mail
Recipient 2 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Almost Full Waste Toner: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None
E-mail Recipient 3:
Subject: %printer event mail
Recipient 3 Address:

Error Events Reported:

Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Almost Full Waste Toner: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None

SMTP (FAX)

Status: Disabled
Select: On
SMTP Server Name:
SMTP Port Number: 25
Authentication: Off
Login Account Name:
SMTP Security: Disabled
Sender Address:
Signature:

%printer
[%etheraddr]

Network Status Page



MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

VNC (RFB)

Status: Disabled
Port Number: 9062

VNC (RFB) over SSL

Status: Disabled
Port Number: 9063

Enhanced VNC (RFB) over SSL

Status: Enabled
Port Number: 9061

SMB

Use Temporary File Name: Off

Wi-Fi

MAC Address: 00:17:C8:B3:1C:56

Wireless Network: On

Connection Status: Not Connected

IP Address: Not Defined

Network Name (SSID):

Network Authentication: Open

Channel: 0

RSSI: 0

Wi-Fi Direct: Off

Device Name:

IP Address: Not Defined

Network Name (SSID):

Network Authentication:

Password:

Channel (Operate): 0

Connection List:

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

Device Name:

Device Name:

Device Name:

Configuration List

MFP

TASKalfa 7003i



Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Adjustment Settings

Density Adjustment
Copy: 0
Send/Box: 0
Correcting Black Line: On(Low)
Display Brightness: 3
Background Density Adj.
Copy: 0
Send/Box: 0
Silent Mode: Off
Prevent Light Reflection: Off
Contrast
Copy: 0
Send/Box: 0
Sharpness Adjustment
Copy (All): 0
Copy (Text/Fine Line): 0
Send/Box (All): 0
Send/Box (Text/Fine Line): 0
Auto Color Correction: 3
Calibration Cycle: Standard
Auto Drum Refresh: Standard
Correct Paper Curl: Auto

Time/Energy Save Settings

Date/Time: 27/09/2024 21:04:48
Date Format: DD/MM/YYYY
Summer Time: Off
Time Zone:
UTC Greenwich Mean Time : Dublin, Edinburgh, Lisbon, L
Auto Error Clear: Off
Sleep Rules
Application: Enabled
EnergySaver RecoveryLevel: Normal Recovery
Sleep Timer: 20Minutes
Low Power Timer: 2Minutes
Interrupt Clear Timer: 60Seconds
Error Job Skip: 30Seconds
Weekly Timer Settings
Weekly Timer: Off
Retry Times: Limited Retries(0times)
Retry Interval: 50Seconds
Ping Timeout: 5Seconds
Auto Panel Reset: On
Panel Reset Timer: 90Seconds

Device Settings

Interface Block
USB Host: Unblock
USB Device: Unblock
USB Drive: Unblock
Option I/F 1: Unblock
Option I/F 2: Unblock
Keyboard Layout: QWERTY
Optional Keyboard Type: US-English
Buzzer
Volume: 3
Key Confirmation: On
Job Finish: Off
Ready: Off
Warning: On
Optional Keyboard: Off
Function Key Registration
Function Key 1: Copy

Function Key 2: Send
Function Key 3: FAX
Internet Browser: Off

Paper Settings

Custom Original Size
Custom 1: Off
Custom 2: Off
Custom 3: Off
Custom 4: Off
Custom Paper Size
Custom 1: Off
Custom 2: Off
Custom 3: Off
Custom 4: Off
Auto Detect Original Size
System of Units: Metric
11x15: Off
A6/Hagaki: A6
Folio: On
Legal/Oficio II/216x340: Legal
Default Paper Source: Cassette 1
Media for Auto
B & W: Plain

Cassette/MP Tray Settings

Multipurpose Tray:
Cassette 1: A4/Plain
Cassette 2: A4-R/Plain
Cassette 3: B5/Plain
Cassette 4: B5/Plain

Media Type Setting

Plain: Normal 2
Rough: Normal 3
Vellum: Heavy 1
Labels: Heavy 2
Recycled: Normal 2
Preprinted: Normal 2
Bond: Normal 3
Cardstock: Heavy 4
Color: Normal 3
Prepunched: Normal 2
Letterhead: Normal 2
Envelope: Heavy 3
Thick: Heavy 3
Coated: Heavy 1
High Quality: Normal 2
Index Tabs: Heavy 4
Transparency: Extra Heavy
Custom 1: Normal 2(Enabled)
Custom 2: Normal 2(Enabled)
Custom 3: Normal 2(Enabled)
Custom 4: Normal 2(Enabled)
Custom 5: Normal 2(Enabled)
Custom 6: Normal 2(Enabled)
Custom 7: Normal 2(Enabled)
Custom 8: Normal 2(Enabled)

Paper Source for Cover:

Show Paper Setup Message
Multipurpose Tray: On
Cassette 1: Off
Cassette 2: Off
Cassette 3: Off
Cassette 4: Off

Configuration List

MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27



RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Common Settings

Language: Spanish
Default Screen: Home
Special Paper Action: Speed Priority
Measurement: mm
Function Defaults
Orig. Orientation (Copy): Top Edge on Top
Orig. Orient.(Send/Store): Top Edge on Top
Original Image (Copy): Text+Photo (Magazine)
Org. Image (Send/Store): Text+Photo
Scan Resolution: 300x300dpi
Color Select.(Send/Store): Auto(Color/Gray)
File Format: PDF
File Separation: Off
Backgrnd Density (Copy): Off
BackgrndDens.(Send/Store): Off
Prevent Bleed-thru (Copy): Off
Prevent Bleed(Send/Store): Off
Zoom: 100%
Border Erase Default: 6/12
Border Erase to Back Page: Same as Front Page
Margin Default: L:6/T:0
Auto Image Rotation (Copy): On
EcoPrint: Off
Toner Save Level: 3
High Comp. PDF Image: Standard
Color TIFF Compression: TIFF V6
Image Quality (File Format): 1
Collate: On
Offset: Off
JPEG/TIFF Print: Fit to Paper Size
XPS Fit to Page: Off
PDF/A: Off
Continuous Scan (Copy): Off
Cont. Scan (Send/Store): Off
File Name Entry: doc
Additional Info.: Job No. & Date/Time
E-mail Subject:
Repeat Copy: Off
DP Read Action: Speed Priority
OCR Text Recognition: Off
Primary OCR Language: English
Skip Blank Page (Copy): Off
Skip Blank Pg (Send/Store): Off
Error Handling
Duplexing Error: Display Error
Finishing error: Display Error
Paper Mismatch Error: Display Error
Wrong Size Paper Loaded: Display Error
Skewed or multi originals: Display Error
Continue or Cancel Err. Job: All Users
Orientation Confirmation: Off
Low Toner Alert Level: Off
Display Status/Log
Display Jobs Detail Status: Show All
Display Jobs Log: Show All
Message Banner Print: On
Message Board: Off
Customize Status Display
Printing Jobs Column 1: JOB Name
Printing Jobs Column 2: User Name
Sending Jobs Column 1: Destination
Sending Jobs Column 2: User Name
Storing Jobs Column 1: JOB Name

Storing Jobs Column 2: User Name
Remote Printing: Permit
Numeric Keypad Display
Copy/Print from Box: Off
HyPAS Application: Off
Layout(HyPAS Application): Floating
Detect Job Terminate Mode: UEL
Show Power Off Message: On
Clear Set. after Job Started: Do Not Clear
Erase Shadowed Areas(Copy): Off
Erase Shadowed Areas(Send): Off
Erase Shadowed Areas(Store): Off
Direct Printing from Web: Off

Printer Settings

Copies: 1
Emulation: PCL6
Default Font: Courier
Country Code/Symbol Set: 53/41
Resolution: 600 dpi
EcoPrint: Off
Toner Save Level: 3
KIR: On
Orientation: Portrait
LF Action: LF Only
CR Action: CR Only
Paper Feed Mode: Auto
MP Tray Priority: Off
Wide A4: Off
Duplex: 1-sided
Override A4/Letter: On
Form Feed Timeout: 30Seconds
Auto Cassette Change: On
Paper Output: Lower Left Tray
JOB Name: JOB Name
User Name: On

Copy Settings

Paper Selection: Auto
Auto Image Rotation Action: Follow Image Size
Auto Paper Selection: Most Suitable Size
Auto % Priority: Off
Reserve Next Priority: On
Preset Limit: 9999
Separator Paper Source: Multipurpose Tray
Quick Setup Registration
Key 1: Paper Selection
Key 2: Zoom
Key 3: Density
Key 4: Duplex
Key 5: Combine
Key 6: Off
Paper Size for Small Original: Default Paper Source
Org. Size of Undetected Org.: Default Paper Source
Paper Output: Lower Left Tray

Send Settings

Default Screen: Destination
Dest. Check before Send: Off
Entry Check for New Dest.: Off
Color Type: sRGB
Send and Forward
Forward: Off
Color Setting: Auto(Color/Gray)

Configuration List

MFP

TASKalfa 7003i



Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Scan Resolution:	300x300dpi	Host Name:	KMAFFA85
File Format:	PDF	TCP/IP:	On
File Separation:	Off	TCP/IP(IPv4) Setting	
E-mail Subject:		DHCP:	Off
FTP Encrypted TX:	Off	Auto IP:	On
New Destination Entry:	Permit	IP Address:	192.168.1.71
Recall Destination:	Permit	Subnet Mask:	255.255.255.0
Broadcast:	Permit	Default Gateway:	192.168.1.1
HighCompressionPDF Mode:	File Size Priority	TCP/IP(IPv6) Setting	
OCR Text Recognition:	Quality Priority	IPv6:	On
Quick Setup Registration		IP Address:	fe80::217:c8ff:feaf:fa85
Key 1:	Color Selection	Prefix Length:	0
Key 2:	Scan Resolution	DHCP:	On
Key 3:	Density	RA(Stateless):	On
Key 4:	2-sided/Book Original	IPSec:	Off
Key 5:	Continuous Scan	Bonjour:	On
Key 6:	File Format		
Destination History Usage:	Permit	Protocol Settings	
FAX Server Settings:	Off	POP3 (E-mail RX):	Off
E-mail Settings		SMTP (E-mail TX):	Off
SMTP Setting/Sender Adr		SNMPv1/v2c:	On
SMTP Server Name:		SNMP v3:	Off
Port:	25	NetBEUI:	On
Sender Address :		IPP:	631
SMTP Auth/Sender Adr:	Use Login User Information	IPP over SSL:	443
Notification Settings		FTP Server (Reception):	On
Send Result Report		LPD:	On
E-mail/Folder:	Error Only	Raw:	On
Canceled before Sending:	Off	HTTP:	On
Recipient Format:	Name or Destination	HTTPS:	On
Sending Log History		FTP Client (Transmission):	21
Auto Sending:	Off	SMB Client (Transmission):	445
Login History Settings		LDAP:	Off
Login History:	Off	WSD-SCAN:	On
Device Log History Settings		WSD-PRINT:	On
Device Log History:	Off	Enhanced WSD:	On
Secure Comm. Error Log		Enhanced WSD over SSL:	On
Secure Comm. Error Log:	Off	DSM Scan:	Off
Stamp Settings		eSCL:	On
Font (Page #)		eSCL over SSL:	On
Size 1:	14.0	VNC (RFB):	Off
Size 2:	12.0	VNC (RFB) over SSL:	Off
Size 3:	10.5	Enhanced VNC (RFB) over SSL:	9061
Font (Bates Stamp)		REST:	9080
Size 1:	14.0	REST over SSL:	9081
Size 2:	12.0	Server/Security Settings	
Size 3:	10.5	Security Level:	High
Font (Text Stamp)		SSL/TLS:	On
Size 1:	64.0	Proxy:	Off
Size 2:	48.0	Communication Settings	
Size 3:	24.0	LAN Interface:	Auto
System Stamp(Print Jobs)		Priority Interface:	Wired Network
Text (Text Stamp):	Off	Wi-Fi Setting	
Bates Stamp:	Off	Wi-Fi:	On
System Stamp(Send Jobs)		Network Name (SSID):	
Text (Text Stamp):	Off	Network Authentication:	Open
Bates Stamp:	Off	Encryption:	Disabled
System Stamp(Storing Jobs)		IPv4	
Text (Text Stamp):	Off	IP Address:	Not Defined
Bates Stamp:	Off	IPv6	
		IP Address:	Not Defined
TCP/IP Settings		Wi-Fi Direct Setting	

Configuration List

MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27



RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Setting:	Off
Remote Services Settings	
Remote Services:	Off
Remote Operation:	On
Remote Operation Approver:	Administrator Only
NFC:	Off
Remote Operation:	Off

Unit History Report

MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27



RU91100747

27/09/2024 21:04

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99287

Unit	Serial/Counter/History	Count	Machine No.	Life Count
Drum unit	EP20111A8952	99226	RU91100747	0
	-----		-----	0
			RRH0X02395	0
	-----		-----	0
		0	-----	0
	-----		-----	0
			-----	0
	-----		-----	0
		0	-----	0
	-----		-----	0
Develop unit	EP30311A9122	99226	RU91100747	0
	-----		-----	0
			-----	0
	-----		-----	0
		0	-----	0
	-----		-----	0
			-----	0
	-----		-----	0
		0	-----	0
	-----		-----	0
Fuser unit	F130414A5064	73603	RU91100747	0
			VAL6900003	0
			RU91400813	0
	F130411A4597	25609	RU91100747	0
	-----		-----	0
	-----		-----	0
	-----		-----	0
		0	-----	0
	-----		-----	0
	-----		-----	0
Charger roller unit	Counter	99236		

System

Counter: 590/0
Version: 2KV_D100.003.001/-/-/-/-/
2NH_9000.003.001///

RP Code

0002 00B8 A6EA
0002 00B8 A71C
FFFF FFFF FFFF
FFFF FFFF FFFF

Event Log

MFP

TASKalfa 7003i



Firmware Version 2XT_S000.002.151 2020.08.27

RU91100747

27/09/2024 21:05

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99288

Counter Log

J0000: 2	J1316: 0	J4013: 0	J4403: 0	J4911: 0	J6401: 0	J9030: 34
J0100: 0	J1317: 0	J4014: 0	J4404: 0	J4912: 0	J6402: 0	J9110: 0
J0101: 0	J1502: 10	J4015: 0	J4405: 0	J4913: 0	J6410: 0	J9300: 5
J0102: 0	J1503: 0	J4016: 0	J4406: 0	J4914: 0	J6411: 0	J9310: 3
J0103: 0	J1504: 0	J4017: 0	J4407: 0	J4915: 0	J6412: 0	J9400: 4
J0104: 0	J1512: 0	J4019: 0	J4409: 0	J4916: 0	J6500: 0	J9410: 0
J0106: 0	J1513: 0	J4101: 4	J4411: 0	J4917: 0	J6510: 0	J9600: 15
J0107: 0	J1514: 0	J4102: 1	J4412: 0	J4918: 0	J6600: 0	J9610: 0
J0108: 0	J2106: 0	J4103: 0	J4413: 0	J4919: 0	J6610: 0	C3100: 1(0)
J0110: 0	J2107: 0	J4104: 0	J4414: 0	J5001: 0	J6700: 0	C7460: 1(0)
J0112: 0	J2116: 0	J4105: 0	J4415: 0	J5002: 0	J6710: 0	C6610: 28(0)
J0113: 0	J2117: 0	J4106: 0	J4416: 0	J5003: 0	J6810: 0	C6000: 1(0)
J0114: 0	J2307: 0	J4107: 0	J4417: 0	J5004: 0	J6910: 0	CF248: 1(0)
J0115: 0	J2317: 0	J4108: 0	J4418: 0	J5005: 0	J7000: 0	T00: 3
J0131: 0	J2603: 0	J4109: 1	J4419: 0	J5006: 0	J7100: 0	
J0132: 0	J2604: 0	J4111: 0	J4401: 2	J5007: 0	J7110: 0	
J0200: 0	J2606: 0	J4112: 0	J4602: 0	J5008: 0	J7200: 0	
J0210: 0	J2607: 0	J4113: 0	J4603: 0	J5009: 0	J7210: 0	
J0211: 0	J2613: 0	J4114: 0	J4604: 0	J5011: 1	J7300: 0	
J0212: 0	J2614: 0	J4115: 0	J4605: 0	J5012: 0	J7310: 0	
J0213: 0	J2616: 0	J4116: 0	J4606: 0	J5013: 0	J7400: 0	
J0214: 0	J2617: 0	J4117: 0	J4607: 0	J5014: 0	J7500: 0	
J0215: 0	J2704: 0	J4118: 0	J4608: 0	J5015: 0	J7600: 0	
J0300: 0	J2707: 0	J4119: 0	J4609: 0	J5016: 0	J7700: 0	
J0501: 200	J2714: 0	J4201: 1	J4611: 0	J5017: 0	J7710: 0	
J0502: 1	J2717: 0	J4202: 0	J4612: 0	J5018: 1	J7800: 0	
J0506: 0	J3405: 0	J4203: 0	J4613: 0	J5019: 0	J7810: 0	
J0507: 0	J3406: 0	J4204: 0	J4614: 0	J5101: 0	J7900: 0	
J0508: 0	J3407: 0	J4205: 0	J4615: 0	J5102: 0	J7910: 0	
J0509: 0	J3415: 0	J4206: 0	J4616: 0	J5103: 0	J7911: 0	
J0511: 4	J3416: 0	J4207: 0	J4617: 0	J5104: 0	J7912: 0	
J0512: 0	J3417: 0	J4208: 0	J4618: 0	J5105: 0	J7913: 0	
J0516: 0	J3505: 0	J4209: 0	J4619: 0	J5106: 0	J7914: 0	
J0517: 0	J3506: 0	J4211: 2	J4701: 0	J5107: 0	J7915: 0	
J0518: 0	J3507: 0	J4212: 0	J4702: 0	J5108: 0	J7916: 0	
J0519: 0	J3515: 0	J4213: 0	J4703: 0	J5109: 0	J7917: 0	
J0523: 0	J3516: 0	J4214: 0	J4704: 0	J5111: 0	J7918: 0	
J0524: 0	J3517: 0	J4215: 0	J4705: 0	J5112: 0	J7919: 0	
J0525: 0	J3605: 0	J4216: 0	J4706: 0	J5113: 0	J7920: 0	
J0526: 0	J3606: 0	J4217: 0	J4707: 0	J5114: 0	J7921: 0	
J0527: 0	J3607: 0	J4218: 1	J4708: 0	J5115: 0	J7922: 0	
J0533: 0	J3615: 0	J4219: 0	J4709: 0	J5116: 0	J7923: 0	
J0534: 0	J3616: 0	J4301: 0	J4711: 0	J5117: 0	J7924: 0	
J0535: 0	J3617: 0	J4302: 0	J4712: 0	J5118: 0	J7925: 0	
J0536: 0	J3705: 0	J4303: 0	J4713: 0	J5119: 0	J7930: 0	
J0537: 0	J3706: 0	J4304: 0	J4714: 0	J6000: 0	J7931: 0	
J0545: 0	J3707: 0	J4305: 0	J4715: 0	J6020: 0	J7932: 0	
J0555: 0	J3715: 0	J4306: 0	J4716: 0	J6030: 0	J7933: 0	
J1301: 1	J3716: 0	J4307: 0	J4717: 0	J6040: 0	J7934: 0	
J1302: 0	J3717: 0	J4309: 0	J4718: 0	J6050: 0	J7935: 0	
J1303: 0	J4001: 0	J4311: 0	J4719: 0	J6060: 0	J7950: 0	
J1304: 0	J4002: 0	J4312: 0	J4901: 0	J6070: 0	J9000: 6	
J1305: 0	J4003: 0	J4313: 0	J4902: 0	J6080: 0	J9001: 0	
J1306: 0	J4004: 0	J4314: 0	J4903: 0	J6100: 0	J9002: 3	
J1307: 0	J4005: 0	J4315: 0	J4904: 0	J6110: 0	J9005: 0	
J1311: 0	J4006: 0	J4316: 0	J4905: 0	J6200: 0	J9008: 3	
J1312: 0	J4007: 0	J4317: 0	J4906: 0	J6210: 0	J9009: 0	
J1313: 0	J4009: 0	J4319: 0	J4907: 0	J6300: 0	J9010: 4	
J1314: 0	J4011: 0	J4401: 0	J4908: 0	J6310: 0	J9011: 3	
J1315: 0	J4012: 0	J4402: 0	J4909: 0	J6400: 0	J9020: 38	

Event Log

MFP

TASKalfa 7003i

Firmware Version 2XT_S000.002.151 2020.08.27



RU91100747

27/09/2024 21:05

[2XV_1000.002.101] [2NH_1100.001.002]

Machine No.:RU91100747

Life Count:99288

Paper Jam Log

#	Count.	Event Descriptions	Date and Time
16	99255	0501.01.88.01.01	27/09/2024 20:59
15	99254	0501.01.88.01.01	27/09/2024 17:27
14	99253	0501.01.88.01.01	27/09/2024 17:26
13	99249	0501.01.88.01.01	27/09/2024 17:26
12	99245	0501.01.88.01.01	27/09/2024 17:06
11	99244	0501.01.88.01.01	27/09/2024 17:05
10	99241	0501.01.88.01.01	27/09/2024 17:05
9	99236	0501.01.88.01.01	27/09/2024 15:16
8	99235	0501.01.88.01.01	27/09/2024 15:15
7	99231	0501.01.88.01.01	27/09/2024 14:17
6	99228	0501.01.88.01.01	27/09/2024 14:08
5	99226	0501.01.88.01.01	27/09/2024 14:05
4	99224	0501.01.88.01.01	27/09/2024 14:03
3	99223	0501.01.88.01.01	27/09/2024 13:59
2	99221	0501.01.88.01.01	27/09/2024 13:58
1	99220	0501.01.88.01.01	27/09/2024 13:57

Service Call Log

#	Count.	Service Code	Date and Time
8	39121	01.00.F248	02/05/2023 14:45
7	25651	01.00.6610	31/01/2023 15:28
6	25648	01.00.6610	31/01/2023 15:06
5	25628	01.00.6610	23/01/2023 17:40
4	25603	01.00.6610	20/01/2023 14:16
3	25594	01.00.6610	19/01/2023 17:43
2	25590	01.00.6610	19/01/2023 15:42
1	25191	01.00.6610	16/01/2023 19:33

Maintenance Log

#	Count.	Item.	Date and Time
---	--------	-------	---------------

Log Data Nothing...

Toner Log

#	Count.	Item. Serial Number	Date and Time	Detail
3	95356	01.00 0000186012018924	04/07/2024 22:21	A.033
2	95356	01.00 0000173776365696	04/07/2024 22:21	B.033
1	50136	01.00 0000199391317316	25/05/2023 15:47	B.100

set
05:15
Serial No.:RU91100747

EP30311A9122
EP20111A8952
N/A
F130414A5064
0000186012018924
Sample Set Count:1/1

