

Maintenance Report



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RGG2118599
04/07/2024 23:05
[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.:RGG2118599

Life Count:183275

000	Mainte Report							
001	Exit Mainte							
002	Set Factory Def							
004	Machine No.	RGG2118599						
010	Set Mainte ID							
019	Firm Version							
	Controller	2TA_S000.003.105						
	CMN App	2TA_R000.003.105						
	SST App	2TA_R100.003.105						
	MNT App	2TA_R200.003.105						
	CPY App	2TA_R300.003.105						
	PRT App	2TA_R400.003.105						
	SND App	2TA_R500.003.105						
	BOX App	2TA_R600.003.105						
	FAX App	2TA_R700.003.105						
	WPG App	2TA_R800.003.105						
	AUTH App	2TA_R900.003.105						
	PCS App	2TA_RB00.003.105						
	SCO App	2TA_RD00.003.105						
	PLP	2TA_Q000.003.105						
	EXSP	2TA_QA00.003.105						
	Version Info	2TA_S100.003.105						
	MMI	2TA_7000.003.105						
	Browser	2TA_F000.002.003						
	Option Language1	2TA_81BR.002.101						
	Option Language2	None						
	Option Language3	None						
	Option Language4	None						
	Option Language5	None						
	OCR	None						
	Sub MMI, Sub MMI Boot	2V1_7200.001.006	2V1_7300.001.002					
	Engine, Engine Boot	2TA_1000.005.001	2T6_1100.001.001					
	HYPAS EMB API	2.1.8						
021	Init Memory							
025	Firm Update(S)							
034	Adj Paper Timing							
	LSU Out Top	614	-10	0	-5			
	LSU Out Left	592	0	0				
			0					
037	Chk Fan Motor							
065	Adj Scn	0	-1					
066	Table Timing	12						
067	Table Center	10						
068	DP Scn Start Pos	0	0					
070	Adj DP Motor	-2		0	-10			
071	DP Timing	-6	-15			-4	-9	
072	DP Center	-19		5				
089	Output MIP-PG							
091	White L Cor	0	0	0	112	75	1	
110	Drum Cnt	33557						
111	Drum Time	1106						
117	Drum No.	F2Y113XD3697						
130	Set Toner Install							
135	Chk Toner Motor							
136	Set Toner NearEnd	3						

Maintenance Report

MFP

ECOSYS M3655idn



Firmware Version 2TA_S000.003.105 2021.06.29

RGG2118599
04/07/2024 23:05
[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.:RGG2118599

Life Count:183275

147	Set Toner Apply						
	Drum T7	1					
	Dev T7	10					
157	Dev Time	4180					
158	Dev Cnt	2					
198	Set Phase Ctrl						
	Flicker	Off					
201	Init Touch Panel						
203	Chk DP Ope						
207	Chk Panel Key						
250	Mnt Cnt Pre-set	500000					
251	Clr Mnt Cnt	182293					
252	Set Dest	Europe Metric					
253	Set D/S Count	DBL(Legal)					
260	Set Count Mode	Eject					
265	Set Model Dest	1					
271	Set Page Count	2					
278	Set Delivery Date	---	---	---			
285	Set Svc Sts Page	On	On				
287	Set Reset Func	Off	Off	Off	Off	Off	Off
		Off	Off	Off	Off	On	
326	Set Clean Bk Line						
	Black Line Mode	On					
332	Adj Calc Rate	1.0					
339	Chk Drum Heater	Off					
345	Set Mnt Time Disp	0					
346	Slct Sleep Mode						
	Timer/Sleep Level	More Energy Save					
	Auto Sleep	On					
402	Print Margin	4.0	3.0	3.0	3.9		
403	Scan Margin Tbl	2.0	2.0	2.0	2.0		
404	Scan Margin DP	3.0	2.5	3.0	4.0		
		3.0	2.5	3.0	4.0		
411	Auto Adj Scn						
425	Set Target						
	Chart A						
	White	93.6	0.9	-0.4			
	Black	10.6	-0.2	-0.7			
	Gray1	76.2	-0.2	1.2			
	Gray2	25.2	-0.2	-0.2			
	Gray3	51.3	-0.3	0.3			
	C	72.6	-32.8	-11.5			
	M	48.1	69.9	-6.1			
	Y	86.2	-18.6	81.7			
	R	46.7	54.2	38.6			
	G	67.8	-51.3	48.9			
	B	38.8	25.3	-22.8			
	Adjust Original	5.0	10.0	266.0			
	Chart B						
	Adjust Original	15.0	15.0	267.0			
460	Adj Conveying						
	DP	On					
520	Set TDRS						
	On/Off Config	Off					
600	Init All Data						

Maintenance Report



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RG2118599
04/07/2024 23:05
[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.:RG2118599

Life Count:183275

601	Init Keep Data						
603	User Data 1	DTMF					
604	User Data 2	2					
605	Clr Data						
610	System Setting 1	3	0	0			
611	System Setting 2	7	22	26			
612	System Setting 3	On	Off				
620	FAX System	One					
625	Set Comm	3	2				
630	Comm Ctrl 1	14400bps/V17		14400bps	300	75	
631	Comm Ctrl 2	On	On	2100			
632	Comm Ctrl 3	Off	2Time				
633	Comm Ctrl 4	On	On	Once	15%		
634	Comm Ctrl 5	0					
640	Comm Time 1	7	80				
641	Comm Time 2	56	36	69	30	20	80
		60	9				
650	Modem 1						
	Reg G3 TX Eqr	0dB					
	Reg G3 RX Eqr	0dB					
	RX Mdm Level	-43dBm					
651	Modem 2	-9	-8.0	2.5			
660	Set Calls	PSTN	On	Off	Loop	On	
670	Output List						
695	Custom FAX Func	On	Off	3			
699	Set Soft SW						
901	Clr Paper FD Cnt	30	171186				
		12059					
905	Option Cnt						
	DP	25895		3511			
908	Total Cnt	182293					
910	Clr Coverage Dat						
911	Paper SZ Cnt						
	A4, B5, A5, Folio	181728	0	0	0		
	ETC	565					
917	R/W Bkup Data						
920	Chg Cnt						
	B/W Copy	26947					
	B/W Prn	155346					
	B/W Fax	0					
	Simplex	159616					
	Duplex	22677					
	Comb(Off)	182265					
	Comb(2in1)	28					
	Comb(4in1)	0					
927	Clr Chg/Life Cnt						
928	Life Cnt	183275					
969	Toner Area Code	2	7				
977	Set Data Capture						
991	Scn Cnt	20276	0	14707			
		FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF					
		FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF					
		FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF					
		FFFFFFFFFFFFFFFF					
		FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF					

Maintenance Report



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RGG2118599
04/07/2024 23:05
[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.:RGG2118599

Life Count:183275

Paper Jam Log

JAM0000	7	7
JAM0100	3	3
JAM0111	1	1
JAM0501	6	6
JAM0511	9	9
JAM4101	4	4
JAM4111	3	3
JAM4118	2	2
JAM4201	8	8
JAM4418	2	2
JAM9110	10	10
JAM9300	8	8
JAM9400	2	2
JAM9600	5	5

Service Call Log

C7900	1	1
C5100	1	1

Página de estado

MFP

ECOSYS M3655idn



RGG2118599

04/07/2024 23:05

[2.1.8] [2TA_F000.002.003]

Versión del firmware 2TA_S000.003.105 2021.06.29

[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Config. papel

Tamaño/Tipo bandeja MP: A4/Normal
Tamaño/Tipo depósito 1: A4/Normal

Configuración de grupo

Ninguna

Configuración de impresión

Copias: 1
Tipo de papel predeterm.: Ninguna
Modo KIR: Activar
Resolución: Modo rápido1200

EcoPrint

Estado: Desactivar

Config. de dispositivo

Reglas de reposo:
Aplicación: Activar
Sueño: 1 Minutos
Temporiz. apagado: 3 días
Tiempo espera alim. pap.: 30 Segundos
Bypass vacío: Activar

Estado de opciones

depósito de papel 2: No instalar
depósito de papel 3: No instalar
depósito de papel 4: No instalar
depósito de papel 5: No instalar
SD Card: No instalar
SSD: No instalar
Card Authentication (B): No instalar
Data Security Kit (E): No instalar
UG-33: No instalar
Scan extension kit(A): No instalar

Red

Interfaz LAN
Configuración: Automático
Actual: No Conectado
TCP/IP
Estado: Activar
Nombre host impresora: IMP-KYOCERA-M3655idn-OCI

IPv4

Estado DHCPv4: Desactivar
Estado Bonjour: Activar
Dirección IP: No definido
Máscara subred: No definido
Gateway predet.: No definido

IPv6

Estado: Desactivar
Estado DHCPv6: Activar
Estado RA: Activar
Manual: No definido
DHCPv6(Stateful): No definido
RA(Stateless): No definido
LinkLocal: No definido

Configuración TRABAJOS

Nombre trabajo: doc

Bloqueo de interfaz

Host USB: Desbloquear
Dispositivo USB: Desbloquear
Almacenamiento USB: Desbloquear
Opción I/F: Desbloquear

Memoria

Tamaño estándar: 1.0 GB
Ranura opcional: 0 MB
Tamaño total: 1.0 GB
Disco RAM: Encendido
Tamaño del disco RAM: 64 MB

Emulación

Emulación: PCL6
Fuente predeterminada: Courier
Caracteres predet.: IBM PC-8

Configuración de escaneo

Formato archivo: PDF
Resolución: 200x200dpi
Calidad: Texto+foto

Configuración de copia

Calidad: Texto+foto
Intercalar: Activar

Configuración de FAX

Nombre local del FAX:
Nº FAX local:
ID de FAX local: 0000
Conf línea FAX: Tono(DTMF)
Configuración RX: Autom. (Normal)


Contadores

Copia	26947
Impresora	155346
FAX	0
Total	182293
Tamaño papel	
A4	181728
B5	0
A5	0
Folio	0
Legal	0
Letter	565
Statement	0
Banner 1	0
Otro1	0
Otro2	0
Páginas escaneadas	
Copia	20276
FAX	0
Otro	14707
Total	34983
Dúplex	22677
Simplex	159616
2 en 1	28
4 en 1	0
1 en 1	182265

Borrado de datos

Resultado:--

Indicador de tóner



Service Status Page



MFP

ECOSYS M3655idn

RG2118599

04/07/2024 23:05

Firmware Version 2TA_S000.003.105 2021.06.29

[2.1.8] [2TA_F000.002.003] [2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Controller Information

Memory Status

Standard Size 1.0 GB
Option Slot 0 MB
Total Size 1.0 GB

Time

Local Time Zone
UTC Greenwich Mean Time : Dublin, Edinburgh, Lisbon, London
Date and Time 04/07/2024 23:05
Time Server

Installed Options

Paper Feeder 2 Not Installed
Paper Feeder 3 Not Installed
Paper Feeder 4 Not Installed
Paper Feeder 5 Not Installed
SD Card Not Installed
SSD Not Installed
Card Authentication Kit (B) Not Installed

Data Security Kit (E) Not Installed
UG-33 Not Installed
USB Keyboard Not Connected
USB Keyboard Type US-English
Scan extension kit(A) Not Installed

Print Coverage

Average (%) / Usage Page(A4/Letter Conversion)
Total
K: 7.85 / 182293.00
Copy
K: 7.79 / 26947.00
Printer
K: 7.87 / 155346.00
FAX
K: 0.00 / 0.00
Period (08/01/2022 - 04/07/2024 23:05)
Last Page (%) 4.37
Last Job (%) 4.37

FAX Information

Rings (Normal) 2
Rings (FAX/TEL) 2
Rings (TAD) 10

FRPO Status

User Top Margin A1+A2/100 0.00
User Left Margin A3+A4/100 0.00
User Page Length A5+A6/100 13.61
User Page Width A7+A8/100 13.61
Reserved B0 00
Default Pattern Switch B8 00
Page Orientation C1 00
Default Font Number C5*10000+C2*100+C3 00000
PCL Font Switch C8 00
Print density D4 03
Reserved D6 00
Host Buffer Size H8 05
FF Time Out H9 06
Reserved I5 01
Reserved I6 00
KIR Mode N0 02
Duplex mode N4 00
Sleep Timer N5 1
EcoPrint Mode N6 00
Reserved N7 00
Print Resolution N8 01
Default Emulation P1 06

CR/LF Action P2/P3 1/1
AES Mode P4 00
Alt. Emulation P5 06
AES Option 1/2 P7 10
Command Recognition P9 82
Default Paper Output R0 01
Default Paper Size R2 00
Reserved R3 00
Default Paper Source R4 01
MP Tray Paper Size R7 08
Override A4/LT S4 01
Host Buffer Size Rate S5 01
RAM Disk Size S6 64
RAM Disk Mode S7 01
Wide A4 T6 00
Default Line Spacing U0+U1/100 6.00
Default Character Spacing U2+U3/100 10.00
Reserved U4 01
Country Code/Symbol Set U6/U7 41/53
Default Pitch U8+U9/100 10.00
Default Font Height V0*100+V1+V2/100 12.00
Default Font Name V3 Courier
Courier/LetterGothic V9 05
MP Tray Paper Type X0 01
Cassette 1 Paper Type X1 01
Cassette 2 Paper Type X2 01
Cassette 3 Paper Type X3 01
Cassette 4 Paper Type X4 01
Cassette 5 Paper Type X5 01
PCL Paper Source X9 00
Auto Error Clear Y0 00
Error Clear Timer Y1 06
Finishing error Y3 97
Special Type Act Mode Y4 00
PDF mode Y5 00
e-MPS error control Y6 03

RP Code

0001 04E6 10A2
0001 04E6 093A
FFFF FFFF FFFF
FFFF FFFF FFFF

Print Settings

MP Tray Priority Off

Service Status Page



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RGG2118599
04/07/2024 23:05
[2.1.8] [2TA_F000.002.003]
[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Controller Information

Altitude Adjustment
Status Normal
Transfer Adj.
Status Standard
Fuser Adjustment
Status 1

System Firmware(Details)

2TA_Q000.003.105
2TA_QA00.003.105
2TA_R000.003.105
2TA_R100.003.105
2TA_R200.003.105
2TA_R300.003.105
2TA_R400.003.105
2TA_R500.003.105
2TA_R600.003.105
2TA_R700.003.105
2TA_R800.003.105
2TA_R900.003.105
2TA_RB00.003.105
2TA_RD00.003.105
2TA_S100.003.105

Engine Information

NVRAM Version _CjA7831_CjA7831
Scanner Version
MAC Address 00:17:C8:C6:EF:16
DP Counters
Total 32917

1/1
614/592
-10/0/0/0/0/-5/0/
0/0/0/0/0/0/0/
0/50/0/50/
0183280/0000030/0171191/////0012059/
0033562/0000007/
0182293/
F00/U00/0/1/2/1/0/33/45/0/0/0/0/01//5/2/0/1/1/
2010/9000/2010/4000/3010/2010/0000/2010/2010/2010/2010/6000/6000/
6000/2010/2010/2010/2010/2010/2010/2010/2010/2010/
00B00021/00000000/544B2D33313832000000000000000000/335A3442323038450000000000000000/3408/00/00/0000160923778455

/0/
[][][]

[2TA_81BR.002.101][][][]
00FF0CFE--/00F6FAF1---/FCF7010A/00006527---/-----0000/0DB7
0/4/
-/-/
0/5/
1/
1/0/1/
F2Y113XD3697/

Event Log

MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29



RGG2118599

04/07/2024 23:05

[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.: RGG2118599

Life Count: 183282

Paper Jam Log

#	Count.	Event Descriptions	Date and Time
16	182593	4118.01.08.01.01	04/06/2024 17:13
15	182577	4118.01.08.01.01	04/06/2024 17:11
14	182507	4101.01.08.01.01	04/06/2024 17:05
13	165589	0000.00.00.00.00	16/05/2024 15:40
12	156762	0511.01.08.01.01	10/05/2024 20:17
11	155429	0100.01.08.01.01	09/05/2024 17:00
10	155325	0100.01.08.01.01	09/05/2024 15:34
9	151750	9400.00.06.00.00	03/05/2024 23:36
8	150757	4111.01.08.01.01	02/05/2024 19:53
7	149620	0511.01.08.01.01	23/04/2024 21:11
6	143943	9400.00.06.00.00	11/03/2024 13:28
5	142402	9300.00.06.00.00	28/02/2024 13:57
4	141274	9110.00.06.00.00	14/02/2024 16:45
3	138869	0511.01.08.01.01	03/01/2024 16:30
2	138868	0511.01.08.01.01	03/01/2024 16:28
1	138855	0501.01.08.01.01	03/01/2024 16:23

Maintenance Log

#	Count.	Item.	Date and Time
Log Data Nothing...			

Toner Log

#	Count.	Item.	Serial Number	Date and Time
14	176076	01.00	0000037162861383	27/05/2024 15:59
13	160949	01.00	0000048720548962	14/05/2024 21:04
12	150060	01.00	0000048720548962	26/04/2024 16:09
11	140125	01.00	0000083384777876	26/01/2024 19:18
10	120863	01.00	0000044187397947	28/11/2023 14:28
9	108819	01.00	0000006498805873	18/11/2023 16:21
8	96627	01.00	0000068164525288	14/11/2023 20:32
7	84612	01.00	0000006498804661	10/11/2023 14:43
6	71272	01.00	0000006498804661	09/11/2023 22:05
5	57234	01.00	0000046114734556	27/10/2023 13:06
4	44993	01.00	0000070962934891	05/07/2023 21:12
3	33024	01.00	0000070962934891	19/05/2023 21:48
2	20556	01.00	0000006498809263	22/12/2022 15:50
1	4769	01.00	0000126723628378	09/08/2022 14:40

Service Call Log

#	Count.	Service Code	Date and Time
2	182410	01.00.5100	04/06/2024 14:38
1	119056	01.00.7900	23/11/2023 15:58

Event Log

MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29



RGG2118599

04/07/2024 23:05

[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.:RGG2118599

Life Count:183282

Counter Log

J0000: 7	J4119: 0
J0100: 3	J4201: 8
J0101: 0	J4202: 0
J0104: 0	J4203: 0
J0105: 0	J4204: 0
J0106: 0	J4205: 0
J0107: 0	J4208: 0
J0110: 0	J4209: 0
J0111: 1	J4211: 0
J0120: 0	J4212: 0
J0121: 0	J4213: 0
J0501: 6	J4214: 0
J0502: 0	J4215: 0
J0503: 0	J4218: 0
J0504: 0	J4219: 0
J0505: 0	J4301: 0
J0508: 0	J4302: 0
J0509: 0	J4303: 0
J0511: 9	J4304: 0
J0512: 0	J4305: 0
J0513: 0	J4309: 0
J0514: 0	J4401: 0
J0515: 0	J4402: 0
J0518: 0	J4403: 0
J0519: 0	J4404: 0
J0529: 0	J4405: 0
J0539: 0	J4409: 0
J1403: 0	J4418: 2
J1404: 0	J9000: 0
J1405: 0	J9001: 0
J1413: 0	J9002: 0
J1414: 0	J9004: 0
J1415: 0	J9010: 0
J1604: 0	J9030: 0
J1605: 0	J9031: 0
J1614: 0	J9060: 0
J1615: 0	J9061: 0
J1805: 0	J9062: 0
J1815: 0	J9110: 10
J4002: 0	J9120: 0
J4003: 0	J9200: 0
J4004: 0	J9210: 0
J4005: 0	J9220: 0
J4012: 0	J9300: 8
J4013: 0	J9310: 0
J4014: 0	J9400: 2
J4015: 0	J9410: 0
J4101: 4	J9600: 5
J4102: 0	J9610: 0
J4103: 0	C7900: 1(0)
J4104: 0	C5100: 1(0)
J4105: 0	T00: 14
J4108: 0	
J4109: 0	
J4111: 3	
J4112: 0	
J4113: 0	
J4114: 0	
J4115: 0	
J4118: 2	

Network Status Page



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RGG2118599
04/07/2024 23:05
[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Network Detail

MAC Address: 00:17:C8:C6:EF:16

IP Address: Not Defined

Subnet Mask: Not Defined

Default Gateway: Not Defined

Dynamic DNS: Disabled

DNS User Setting: Disabled

DNS Server(Pri.): Not Defined

DNS Server(Sec.): Not Defined

DNS Search Suffix: Enabled

DNS Search Suffix(Pri.): Not Defined

DNS Search Suffix(Sec.): Not Defined

Domain Name:

WINS User Setting: Enabled

WINS Server(Pri.): Not Defined

WINS Server(Sec.): Not Defined

LAN Interface

Setting: Auto

Current: Not Connected

SSL/TLS Server

Status: Enabled

HTTPS: Disabled

IPSec

Setting: On

Restriction: Allow

Status: Inactive

Rule 1: Off

Rule 2: Off

Rule 3: Off

Rule 4: Off

Rule 5: Off

Rule 6: Off

Rule 7: Off

Rule 8: Off

Rule 9: Off

Rule 10: Off

IPv6

Status: Disabled

DHCPv6 Status: Enabled

RA Status: Enabled

Manual: Not Defined

DHCPv6(Stateful): Not Defined

RA(Stateless): Not Defined

LinkLocal: Not Defined

Default Gateway: Not Defined

Dynamic DNS: Disabled

DNS User Setting: Enabled

DNS Server(Pri.): Not Defined

DNS Server(Sec.): Not Defined

DNS Search Suffix: Enabled

DNS Search Suffix(Pri.): Not Defined

DNS Search Suffix(Sec.): Not Defined

Domain Name:

IEEE 802.1X

Status: Disabled

Type: PEAP

Certificate Status

Device 1(Self Issued): Active

Device 2: Inactive

Device 3: Inactive

Device 4: Inactive

Device 5: Inactive

Root 1: Inactive

Root 2: Inactive

Root 3: Inactive

Root 4: Inactive

Root 5: Inactive

NetBEUI

Status: Enabled

Raw Port

Status: Enabled

Enhanced WSD

Status: Enabled

Enhanced WSD over SSL

Status: Enabled

TCP/IP

Status: Enabled

Printer Host Name:

IMP-KYOCERA-M3655idn-OCI

IPv4

DHCPv4 Status: Disabled

Auto IP: Disabled

Bonjour Status: Enabled

Bonjour Name:

Kyocera ECOSYS M3655idn

Network Status Page



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RG2118599

04/07/2024 23:05

[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

IPP
Status: Enabled

IPP over SSL
Status: Enabled

FTP Server
Status: Enabled

Line Printer Daemon
Status: Enabled

HTTP
Status: Enabled

HTTPS
Status: Enabled

WSD-PRINT
Status: Enabled

WSD-SCAN
Status: Enabled

LLTD
Status: Disabled

SNMP v1,v2
Status: Enabled
JetAdmin Compatibility: Disabled

SNMP v3
Status: Disabled
Authentication: Enabled
Privacy: Enabled

POP3
Status: Disabled
Check Interval: 15 Minutes

User 1:
User Profile1: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
POP3 Login Password: Not Defined
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB

User 2:
User Profile2: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
POP3 Login Password: Not Defined
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB

User 3:
User Profile3: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
POP3 Login Password: Not Defined
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB

Network Status Page

MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29



RG2118599

04/07/2024 23:05

[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

SMTP

Status: Disabled
SMTP Server Name:
SMTP Port Number: 25
Authentication: Off
Login Account Name:
SMTP Security: Disabled
Sender Address:
Signature:

%printer
[%etheraddr]

E-mail Recipient 1:

Subject: %printer event mail
Recipient 1 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None

E-mail Recipient 2:

Subject: %printer event mail
Recipient 2 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None

E-mail Recipient 3:

Subject: %printer event mail
Recipient 3 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None

Network Status Page



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RG2118599
04/07/2024 23:05
[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

SMTP (FAX)

Status: Disabled
Select: On
SMTP Server Name:
SMTP Port Number: 25
Authentication: Off
Login Account Name:
SMTP Security: Disabled
Sender Address:
Signature:

%printer
[%etheraddr]

VNC (RFB)

Status: Disabled
Port Number:

VNC (RFB) over SSL

Status: Disabled
Port Number:

Enhanced VNC (RFB) over SSL

Status: Enabled
Port Number: 9061

SMB

Use Temporary File Name: Off

Unit History Report



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RGG2118599
04/07/2024 23:06
[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.:RGG2118599

Life Count:183299

Drum unit	Serial/Counter/History			
	F2Y113XD3697	33577	RGG2118599	0
			R4B1505512	0
			-----	0
	2Y113XD3697	33022	RGG2118599	0
			R4B1505512	0
			-----	0
	F2Y113XD3697	33021	RGG2118599	0
			R4B1505512	0
			-----	0

System

Counter: 727/0
Version: ////-/-/-/

RP Code

0001 04E6 10A2
0001 04E6 093A
FFFF FFFF FFFF
FFFF FFFF FFFF

Event Log

MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29



RGG2118599

04/07/2024 23:06

[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.:RGG2118599

Life Count:183300

Paper Jam Log

#	Count.	Event Descriptions	Date and Time
16	182593	4118.01.08.01.01	04/06/2024 17:13
15	182577	4118.01.08.01.01	04/06/2024 17:11
14	182507	4101.01.08.01.01	04/06/2024 17:05
13	165589	0000.00.00.00.00	16/05/2024 15:40
12	156762	0511.01.08.01.01	10/05/2024 20:17
11	155429	0100.01.08.01.01	09/05/2024 17:00
10	155325	0100.01.08.01.01	09/05/2024 15:34
9	151750	9400.00.06.00.00	03/05/2024 23:36
8	150757	4111.01.08.01.01	02/05/2024 19:53
7	149620	0511.01.08.01.01	23/04/2024 21:11
6	143943	9400.00.06.00.00	11/03/2024 13:28
5	142402	9300.00.06.00.00	28/02/2024 13:57
4	141274	9110.00.06.00.00	14/02/2024 16:45
3	138869	0511.01.08.01.01	03/01/2024 16:30
2	138868	0511.01.08.01.01	03/01/2024 16:28
1	138855	0501.01.08.01.01	03/01/2024 16:23

Service Call Log

#	Count.	Service Code	Date and Time
2	182410	01.00.5100	04/06/2024 14:38
1	119056	01.00.7900	23/11/2023 15:58

Maintenance Log

#	Count.	Item.	Date and Time
Log Data Nothing...			

Toner Log

#	Count.	Item.	Serial Number	Date and Time
14	176076	01.00	0000037162861383	27/05/2024 15:59
13	160949	01.00	0000048720548962	14/05/2024 21:04
12	150060	01.00	0000048720548962	26/04/2024 16:09
11	140125	01.00	0000083384777876	26/01/2024 19:18
10	120863	01.00	0000044187397947	28/11/2023 14:28
9	108819	01.00	0000006498805873	18/11/2023 16:21
8	96627	01.00	0000068164525288	14/11/2023 20:32
7	84612	01.00	0000006498804661	10/11/2023 14:43
6	71272	01.00	0000006498804661	09/11/2023 22:05
5	57234	01.00	0000046114734556	27/10/2023 13:06
4	44993	01.00	0000070962934891	05/07/2023 21:12
3	33024	01.00	0000070962934891	19/05/2023 21:48
2	20556	01.00	0000006498809263	22/12/2022 15:50
1	4769	01.00	0000126723628378	09/08/2022 14:40

Event Log



MFP

ECOSYS M3655idn

Firmware Version 2TA_S000.003.105 2021.06.29

RGG2118599

04/07/2024 23:06

[2TA_1000.005.001] [2T6_1100.001.001] [2TA_7000.003.105]

Machine No.: RGG2118599

Life Count: 183300

Counter Log

J0000: 7	J4119: 0
J0100: 3	J4201: 8
J0101: 0	J4202: 0
J0104: 0	J4203: 0
J0105: 0	J4204: 0
J0106: 0	J4205: 0
J0107: 0	J4208: 0
J0110: 0	J4209: 0
J0111: 1	J4211: 0
J0120: 0	J4212: 0
J0121: 0	J4213: 0
J0501: 6	J4214: 0
J0502: 0	J4215: 0
J0503: 0	J4218: 0
J0504: 0	J4219: 0
J0505: 0	J4301: 0
J0508: 0	J4302: 0
J0509: 0	J4303: 0
J0511: 9	J4304: 0
J0512: 0	J4305: 0
J0513: 0	J4309: 0
J0514: 0	J4401: 0
J0515: 0	J4402: 0
J0518: 0	J4403: 0
J0519: 0	J4404: 0
J0529: 0	J4405: 0
J0539: 0	J4409: 0
J1403: 0	J4418: 2
J1404: 0	J9000: 0
J1405: 0	J9001: 0
J1413: 0	J9002: 0
J1414: 0	J9004: 0
J1415: 0	J9010: 0
J1604: 0	J9030: 0
J1605: 0	J9031: 0
J1614: 0	J9060: 0
J1615: 0	J9061: 0
J1805: 0	J9062: 0
J1815: 0	J9110: 10
J4002: 0	J9120: 0
J4003: 0	J9200: 0
J4004: 0	J9210: 0
J4005: 0	J9220: 0
J4012: 0	J9300: 8
J4013: 0	J9310: 0
J4014: 0	J9400: 2
J4015: 0	J9410: 0
J4101: 4	J9600: 5
J4102: 0	J9610: 0
J4103: 0	C7900: 1(0)
J4104: 0	C5100: 1(0)
J4105: 0	T00: 14
J4108: 0	
J4109: 0	
J4111: 3	
J4112: 0	
J4113: 0	
J4114: 0	
J4115: 0	
J4118: 2	

U089 PG DATA Mono Belt
Time:2024/07/04 23:06:55
Model:ECOSYS M3655idn Serial No.:RGG2118599
Life Count:183302
Dev Serial No.:N/A
Drum Serial No.:F2Y113XD3697
Trans Serial No.:N/A
Fuser Serial No.:N/A
Toner Serial No.:0000160923778455
Boot Count:727 Sample Set Count:1/1

