

Maintenance Report
ECOSYS M2640idw
08/09/2024 09:30
VR82913865

Firmware Version

2S5_2000.002.802 / 2022.04.19
2S0_1000.006.001
2S0_1100.001.003
2S5_7000.002.801

Machine No.: VR82913865
Life Count: 80600

000 Mainte Report

001 Exit Mainte

002 Set Factory Def

004 Machine No. VR82913865

010 Set Mainte ID

019 Firm Version

Main, MMI 2S5_2000.002.802 2S5_7000.002.801
Engine, Engine Boot 2S0_1000.006.001 2S0_1100.001.003
Dictionary 2ND_CA00.001.002
Option Language1 2S5_81BR.002.801
Option Language2 None
Option Language3 None
Option Language4 None
Option Language5 None

021 Init Memory

025 Firm Update(S)

034 Adj Paper Timing

LSU Out Top	610	0	0	-10		
LSU Out Left	558	13	0	0	0	-32

065 Adj Scn -1

066 Table Timing 10

067 Table Center 0

068 DP Scn Start Pos 0 3

070 Adj DP Motor 2

071 DP Timing 4 1 1 9

072 DP Center 7 -1

110 Drum Cnt 80516

120 Drum Drv Dist Cnt 845503

130 Set Toner Install

157 Dev Time 2615

158 Dev Cnt 80516

201 Init Touch Panel

250 Mnt Cnt Pre-set 100000

251 Clr Mnt Cnt 79769

252 Set Dest Inch

253 Set D/S Count

B/W DBL(Folio)

260 Set Count Mode Eject

285 Set Svc Sts Page On

287 Set Reset Func Off Off Off Off Off Off

Off Off Off Off On

326 Set Clean Bk Line On

332 Adj Calc Rate 1.0

345 Set Mnt Time Disp 0
 346 Slct Sleep Mode
 Timer/Sleep Level Less Energy Save
 Auto Sleep On
 402 Print Margin 4.0 3.0 3.0 3.9
 403 Scan Margin Tbl 2.0 2.0 2.0 2.0
 404 Scan Margin DP 3.0 2.5 3.0 4.0
 3.0 2.5 3.0 4.0
 407 WR DR Timing 0
 411 Auto Adj Scn
 425 Set Target
 Chart A
 White 93.6 0.9 -0.4
 Black 10.6 -0.2 -0.7
 Gray1 76.2 -0.2 1.2
 Gray2 25.2 -0.2 -0.2
 Gray3 51.3 -0.3 0.3
 C 72.6 -32.8 -11.5
 M 48.1 69.9 -6.1
 Y 86.2 -18.6 81.7
 R 46.7 54.2 38.6
 G 67.8 -51.3 48.9
 B 38.8 25.3 -22.8
 Adjust Original 0.20 0.40 10.48
 Chart B
 Adjust Original 0.60 0.60 10.52
 520 Set TDRS Off
 600 Init All Data
 601 Init Keep Data
 603 User Data 1 DTMF
 604 User Data 2 2
 605 Clr Data
 610 System Setting 1 0 3 0
 611 System Setting 2 7 22 26
 612 System Setting 3 On Off
 620 FAX System One
 625 Set Comm 3 2
 630 Comm Ctrl 1 14400bps/V17 14400bps 300 75
 631 Comm Ctrl 2 On On 2100
 632 Comm Ctrl 3 Off 2Time
 633 Comm Ctrl 4 On On Once 15%
 634 Comm Ctrl 5 0
 640 Comm Time 1 7 80
 641 Comm Time 2 56 36 69 30 20 80
 60 9
 650 Modem 1
 Reg G3 TX Eqr 0dB
 Reg G3 RX Eqr 0dB
 RX Mdm Level -43dBm
 651 Modem 2 -9 -8.0 2.5
 660 Set Calls PSTN On Off Loop On
 670 Output List
 695 Custom FAX Func On Off
 699 Set Soft SW
 910 Clr Coverage Dat
 917 R/W Bkup Data
 920 Chg Cnt

B/W Copy 16272
B/W Prn 63501
B/W Fax 0
Simplex 72701
Duplex 7072
Comb(Off) 79772
Comb(2in1) 1
Comb(4in1) 0
927 Clr Chg/Life Cnt
928 Life Cnt 80600
977 Set Data Capture

FF
FF
FF
FFFFFFFFFFFFFFFFFFFFFFFF
220929025822092902332FFFFFFFF

Paper Jam Log ---

JAM0000	6	6
JAM0501	3	3
JAM0511	6	6
JAM4201	2	2
JAM4211	57	57
JAM9000	3	3
JAM9009	1	1
JAM9110	31	31
JAM9400	1	1
JAM9410	2	2

Service Call Log ---

C6400	1	1
C7990	1	1
Cf21a	1	1