

Model,,,8CH-741-001,  
Serial No.,,,U66051M1H900042,  
Country,,,=""0036""  
SW ChkSum,,,4C,  
Main Rom,,,Ver.1.20 E2111020804,  
Rom ChkSum,,,5E71,  
Rom1 ChkSum,,,2F41,  
Boot Rom,,,B2110081906,  
Boot ChkSum,,,DOE2,  
RTC Check,,,2024/07/24 12:38 OK  
RTC Backup,,,OK,  
Head Barcode,,,ALR5595401051,  
Head Vol,,,=""00""  
Head Profile,,,=""1""  
Head Ratio,,,=""1""  
Head Drop,,,=""1""  
CISF,,,=""01""  
QA,,,=""0000""  
DOT COUNT(CY/MZ/YL/BK)  
,Life Count,CY,=""0012320484482""  
,,MZ,=""0007802541988""  
,,YL,=""0008936542582""  
,,BK,=""0013269910221""  
,User Life Count,CY,=""0013243352861""  
,,MZ,=""0008725413224""  
,,YL,=""0009859411406""  
,,BK,=""0014668960530""  
,User Paper Count,CY,=""0011997605733""  
,,MZ,=""0007479666096""  
,,YL,=""0008529399593""  
,,BK,=""0012370958051""  
,Dot Count,CY,=""0013243352861""  
,,MZ,=""0008725413224""  
,,YL,=""0009859411406""  
,,BK,=""0014668960530""  
,Sensor Dot Count,CY,=""0000000000""  
,,MZ,=""0000000000""  
,,YL,=""0000000000""  
,,BK,=""0000000000""  
,Platen Dot Count,CY,=""0000505627""  
,,MZ,=""0000515685""  
,,YL,=""0000265558""  
,,BK,=""0000361542""  
,Cleaning Dot Count,CY,=""1244730934""  
,,MZ,=""1244730934""  
,,YL,=""1328995621""  
,,BK,=""2294795196""  
INK CARTRIDGE(CY/MZ/YL/BK)  
,Change Count Type1,CY,=""000""  
,,MZ,=""000""  
,,YL,=""000""

,,BK,=""000""  
,Change Count Type2,CY,=""000""  
,,MZ,=""000""  
,,YL,=""000""  
,,BK,=""000""  
,Change Miss,CY,=""000""  
,,MZ,=""000""  
,,YL,=""000""  
,,BK,=""000""  
,Ink Low,CY,255  
,,MZ,255  
,,YL,255  
,,BK,255  
,Pre Dot Count,CY,=""000000000000""  
,,MZ,=""000000000000""  
,,YL,=""000000000000""  
,,BK,=""000000000000""  
,Pre Sensor Dot Count,CY,=""0000000000""  
,,MZ,=""0000000000""  
,,YL,=""0000000000""  
,,BK,=""0000000000""  
,Pre Cleaning Dot Count,CY,=""0000000000""  
,,MZ,=""0000000000""  
,,YL,=""0000000000""  
,,BK,=""0000000000""  
,Invalid Dot Count,CY,=""0000000000""  
,,MZ,=""0000000000""  
,,YL,=""0000000000""  
,,BK,=""0000000000""  
,Product Date,CY,=""000000""  
,,MZ,=""000000""  
,,YL,=""000000""  
,,BK,=""000000""  
Page Count,,,Total,Color,Mono  
,Total,,=""00014406"" ,=""011902"" ,=""002504""  
,A3 Total,,=""000000"" ,=""000000"" ,=""000000""  
,PC-Print,,=""011690"" ,=""010922"" ,=""000768""  
,Copy,,=""002694"" ,=""000958"" ,=""001736""  
,FAX,,=""000000"" ,=""000000"" ,=""000000""  
,Media,,=""000000"" ,=""000000"" ,=""000000""  
,List,,=""000000"" ,=""000000"" ,=""000000""  
,WCDL,,=""000000"" ,=""000000"" ,=""000000""  
,AirPrint,,=""000000"" ,=""000000"" ,=""000000""  
,iPrint,,=""000000"" ,=""000000"" ,=""000000""  
,GCP,,=""000000"" ,=""000000"" ,=""000000""  
,PinCheck,,=""000022""  
,CR\_ADJ,,=""000000""  
,FEED\_ADJ,,=""000000""  
,ALL\_ADJ,,=""000000""  
,OtherFunc,,=""000000"" ,=""000000"" ,=""000000""  
Duplex Page Count,,,Total,Color,Mono

,Total,,=""000025"" ,=""000025"" ,=""000000""  
,PC-Print,,=""000025"" ,=""000025"" ,=""000000""  
,COPY,,=""000000"" ,=""000000"" ,=""000000""  
,OtherFunc,,=""000000"" ,=""000000"" ,=""000000""  
Page Count[Size],,,Plain,Ink,Glossy  
,A4\_Letter,,=""014401"" ,=""000000"" ,=""000001""  
,A3\_Ledger,,=""000000"" ,=""000000"" ,=""000000""  
,Envelop,,=""000000""  
,4x6,,=""000004"" ,=""000000"" ,=""000000""  
,Hagaki,,=""000000"" ,=""000000"" ,=""000000""  
,Lban,,=""000000"" ,=""000000"" ,=""000000""  
Duplex Page Count[Size],,,Plain,Ink,Glossy  
,A4\_Letter,,=""000025""  
,A3\_Ledger,,=""000000""  
,A5,,=""000000""  
,Hagaki,,=""000000"" ,=""000000"" ,=""000000""  
Other Page Count  
,NGC,,=""00000000""  
,Dark Page,CY,=""003369""  
,,MZ,=""002649""  
,,YL,=""002992""  
,,BK,=""000947""  
,Last Month Total Page,,=""000000""  
,Tray1,,=""014385""  
,MFS,,=""000022""  
Cartridge Page Count  
,Current,CY,=""11902""  
,,MZ,=""11902""  
,,YL,=""11902""  
,,BK,=""14406""  
,Previous,CY,=""00000""  
,,MZ,=""00000""  
,,YL,=""00000""  
,,BK,=""00000""  
Average Coverage  
,Total,CY,=""11.16%""  
,,MZ,=""6.96%""  
,,YL,=""7.94%""  
,,BK,=""4.29%""  
,Current,CY,=""11.16%""  
,,MZ,=""6.96%""  
,,YL,=""7.94%""  
,,BK,=""4.29%""  
,Previous,CY,=""0.00%""  
,,MZ,=""0.00%""  
,,YL,=""0.00%""  
,,BK,=""0.00%""  
JAM Count  
,Total,,=""000019""  
,DX\_Back\_Side,,=""000000""  
,Tray1,,=""000019""

,MFS,,=""000000""  
,Ins,,=""000015""  
,Feed,,=""000004""  
,CR,,=""000003""  
,MediaErr,,=""000000""  
,MediaPrePrint,,=""000000""  
,MediaCheck,,=""000000""  
Pick Miss Count  
,Tray1,,=""000402""  
,MFS,,=""000007""  
Roll Clean  
,Tray1,,=""000000""  
Paper Piece Remove,,=""000""  
Job Cancel Count,,=""000119""  
Scan Count  
,ADF JAM SX,,=""0000000000""  
,ADF,,=""0000000000""  
,FB,,=""0000002963""  
,SCANNER,,=""0000000673""  
,HP ERR,,=""00""  
,ERR LOG,,=""00"" ,=""00"" ,=""00"" ,=""00"" ,=""00"" ,=""00"" ,=""00"" ,=""00"" ,=""00"" ,=""00"" ,=""00"" ,=""00""  
Purge Count  
,Purge,,=""02517""  
,Sensor Purge,,=""000000""  
,Wipe,,=""00094""  
,Flush(BK),=""0028620314""  
,Flush(CL),=""0015897003""  
Purge Kind(BK),,AUTO,MANU  
,eIP,,=""000"" ,=""001""  
,uIP,,=""000"" ,=""001""  
,RP,,=""000"" ,=""000""  
,SRP,,=""003"" ,=""000""  
,SP,,=""008"" ,=""000""  
,RP2,,=""001"" ,=""000""  
,CP,,=""000"" ,=""000""  
,NP,,=""000"" ,=""016""  
,RP3,,=""000"" ,=""000""  
,PP,,=""000"" ,=""012""  
,QPP,,=""000"" ,=""000""  
,MPP,,=""000"" ,=""001""  
,REP,,=""000"" ,=""000""  
,SPP,,=""000"" ,=""000""  
,MPP2,,=""000"" ,=""000""  
,QMPP,,=""000"" ,=""000""  
,KEP,,=""000"" ,=""000""  
,SEP,,=""000"" ,=""000""  
,REM,,=""000"" ,=""001""  
,HPP,,=""000"" ,=""001""  
,QAP,,=""000"" ,=""000""  
,ARP,,=""000"" ,=""001""  
,STR,,=""000"" ,=""000""

,QSR,,=""000"" ,=""000""  
Purge Kind(CL),,,AUTO,MANU  
,eIP,,=""000"" ,=""001""  
,uIP,,=""000"" ,=""001""  
,RP,,=""000"" ,=""000""  
,SRP,,=""000"" ,=""000""  
,SP,,=""009"" ,=""000""  
,RP2,,=""002"" ,=""000""  
,CP,,=""000"" ,=""000""  
,NP,,=""000"" ,=""018""  
,RP3,,=""000"" ,=""000""  
,PP,,=""000"" ,=""012""  
,QPP,,=""000"" ,=""000""  
,MPP,,=""000"" ,=""000""  
,REP,,=""000"" ,=""000""  
,SPP,,=""000"" ,=""000""  
,MPP2,,=""000"" ,=""000""  
,QMPP,,=""000"" ,=""000""  
,KEP,,=""000"" ,=""000""  
,SEP,,=""000"" ,=""000""  
,REM,,=""000"" ,=""001""  
,HPP,,=""000"" ,=""002""  
,QAP,,=""000"" ,=""000""  
,ARP,,=""000"" ,=""001""  
,STR,,=""000"" ,=""000""  
,QSR,,=""000"" ,=""000""  
Purge Kind(Other),,,  
,tFL,,=""00089""  
,hFL,,=""00092""  
,RVP,,=""00000""  
Power ON Time(Hour),,,=""0000001828""  
Power ON Count,,=""00000413""  
Power Off Cap Err,,=""000""  
Machine Error(1-10),,,ErrorCode,Time,Temp  
,1st,,=""3000"" ,=""2101010018"" ,=""28"" ,  
,2nd,,=""3100"" ,=""2406291717"" ,=""27"" ,  
,3rd,,=""3500"" ,=""2406291715"" ,=""27"" ,  
,4th,,=""7500"" ,=""2406091020"" ,=""28"" ,  
,5th,,=""8200"" ,=""2405050903"" ,=""26"" ,  
,6th,,=""3100"" ,=""2101010000"" ,=""30"" ,  
,7th,,=""3500"" ,=""2402211141"" ,=""30"" ,  
,8th,,=""8400"" ,=""2402182030"" ,=""27"" ,  
,9th,,=""7500"" ,=""2402151934"" ,=""27"" ,  
,10th,,=""8200"" ,=""2401141946"" ,=""26"" ,  
Initial Purge Log  
,IP STATUS,,=""FF""  
,PURGE KIND,,=""0505""  
,COLOR,,=""0F""  
,CALL FREQUENCY,,=""01""  
,SEQUENCE STATUS,,=""16""  
,TEMPERATURE,,=""79""

,LOOP FREQUENCY,,=""01""  
,PURGE KIND(LOOP),=""0505""  
,IP RETRY,,=""00""  
,ENGINFO\_INITIAL\_MACHINE\_STATUS,,=""02""  
,ME50 RETRY,,=""00""  
,ME52 RETRY,,=""00""  
,ME5A RETRY,,=""00""  
,ME5B RETRY,,=""00""  
,ME5D RETRY,,=""00""  
,ME5E RETRY,,=""00""  
,ME75 RETRY,,=""00""  
,ME76 RETRY,,=""00""  
,ME70 RETRY,,=""00""  
,ME72 RETRY,,=""00""  
,ME7A RETRY,,=""00""  
,ME7D RETRY,,=""00""  
,BK\_INKEMP\_PWM,,=""00""  
,Initial Purge Time  
,,1st,=""0048""  
,,2nd,=""0053""  
,,3rd,=""009C""  
,,4th,=""00A7""  
,,5th,=""00B2""  
,,6th,=""00BE""  
,,7th,=""00CA""  
,,8th,=""00D5""  
,,9th,=""00DF""  
,,10th,=""012B""  
,,INFLOW\_CY,=""00""  
,,INFLOW\_MZ,=""00""  
,,INFLOW\_YL,=""00""  
,,INFLOW\_BK,=""00""  
Purge History  
,BK1,=""0027""  
,CL1,=""1C27""  
,BK2,=""1E27""  
,CL2,=""0027""  
,BK3,=""0104""  
,CL3,=""0104""  
Backup Data Version,,,a  
Sensor Status  
,RS,,1  
,PG,,1  
,IK,,1  
,IY,,1  
,IC,,1  
,IM,,1  
,EK,,1  
,EY,,1  
,EC,,1  
,EM,,1

,ST,,1  
,HF,,0  
,VT,,1  
,T1,,1  
,RS,,1  
,PG,,1  
,ST,,1  
,VT,,1  
,T1,,1  
Ink State  
,C,,1  
,M,,1  
,Y,,1  
,K,,1  
,C?,0  
,M?,0  
,Y?,0  
,K?,0  
Executed Mainten,,,00 00 00 00 00 00 01 00 00 00 00  
Executed SP\_Mainten,,,00 00 00 00 00 00 00 00 00 00 00  
,checksum,,0001  
Reset History  
,Counter,,001  
,Power ON Time(Hour),,0000000000  
Setup Date,,,20230927  
ALIGNMENT1,,000  
ALIGNMENT2,,000  
FEEDADJ1,,000  
FEEDADJ2,,000  
AUTOALIGNMENT1,,000  
AUTOALIGNMENT2,,000  
AUTOFEEDADJ1,,000  
AUTOFEEDADJ2,,000  
ALLADJ STATE Total,,00  
ALLADJ STATE Last,,00  
ALLADJ STATE Initial,=""-""  
Ink Refill Log,=""100-70"",CY,=""000""  
,,MZ,=""000""  
,,YL,=""000""  
,,BK,=""000""  
,=""69-40"",CY,=""000""  
,,MZ,=""000""  
,,YL,=""000""  
,,BK,=""000""  
,=""39-1"",CY,=""000""  
,,MZ,=""000""  
,,YL,=""000""  
,,BK,=""000""  
,Low,CY,=""000""  
,,MZ,=""000""  
,,YL,=""000""

,,BK,=""000""  
,Emp,CY,=""000""  
,,MZ,=""000""  
,,YL,=""000""  
,,BK,=""000""  
User Input Log,,,=""000""  
,,=""000""  
,,=""000""  
Ink Cover Open,,Short,=""00000""  
,,Long,=""00000""  
Remain Ask,ON,,=""031""  
,OFF,=""0"" ,=""001""  
,,=""1"" ,=""000""  
,,=""2-4"" ,=""002""  
,,=""5-29"" ,=""003""  
,,=""30-"" ,=""001""  
CoverageRange,,,  
,CY,-,-  
,,-,-  
,,-,-  
,MZ,-,-  
,,-,-  
,,-,-  
,YL,-,-  
,,-,-  
,,-,-  
,BK,-,-  
,,-,-  
,,-,-  
Function Info,,,=""0000000000"" ,=""0000000000""









","="00","="00","="00","="00","="00"